

WE ARE EXCLUSIVE DEALER IN QATAR & SAUDI ARABIA

**DINGQI**®



# ALIF TRADING W.L.L

WHOLESALE IN BUILDING MATERIALS, ELECTRICALS,  
HARDWARE, PLUMBING & TOOLS



# Our Brands :

WE ARE EXCLUSIVE DEALER IN QATAR & BAHRAIN

# DINGQI®

*Classic*®



**JUMBO**

**SUPERFIX**  
HEAVY DUTY

 **plast**®

**ZEBRAHOSES**



**TRESERA**



# ALIF TRADING W.L.L

WHOLESALE IN BUILDING MATERIALS, ELECTRICALS,  
HARDWARE, PLUMBING & TOOLS

## ALIF TRADING

ALIF Trading was established in the year of 2004 in the Middle East region specifically in Bahrain and Qatar. We are wholesalers of building materials, hand tools, power tools, hardware, sanitary ware plumbing & electrical materials.

ALIF Trading is committed to provide more than 5000 products under several brands. We are dedicated to bring healthy, quality and safe products for everyday use of people. Being the preferred supplier of our customers, our products exceed in quality requirements. We give our greatest effort to support and give unforgettable experience to our customers in Middle East area.

## Why Us ?

We are the sole & exclusive distributor of the DINGQI hand tools and power tools in Qatar and Bahrain. We are supplying more than 5000 products which we have developed in our own manufacturing brand like Super Fix, Hi Power LED, Jumbo, Classic etc. We have taken up franchises in different country products in different brands.

We distribute all kinds of hardware and electrical items and many branded items like Tianly U Plast, Garden Hose, GJS monro etc. We assure good quality products at reasonable price. Recently we have launched the household section in Qatar. We have long term relationship with 600 factories of China, Taiwan, India, Turkey, Korea, Hong Kong and other Middle East countries.



# OUR PRODUCT CATEGORIES

## BUILDING MATERIALS



## CARPENTRY ITEMS



## PLUMBING MATERIALS & ACCESSORIES



## HAND TOOLS & POWER TOOL



## PAINT TOOLS & ACCESSORIES



## ELECTRICAL MATERIALS & ACCESSORIES



**ALF TRADING W.L.L.**

WHOLESALE IN BUILDING MATERIALS, ELECTRICALS,  
HARDWARE, PLUMBING & TOOLS

# OUR PRODUCT CATEGORIES

## GARDEN ITEMS



## HARDWARES



## SANITARY ITEMS



## SAFETY PRODUCTS



## TAPES & ABRASIVES



## TROLLEY & LADDERS



**ALIF TRADING W.L.L**

WHOLESALE IN BUILDING MATERIALS, ELECTRICALS,  
HARDWARE, PLUMBING & TOOLS

# DINGQI®

REACHING RELIABLE TOOLS WORLD



**REACHING THE**  
**RELIABLE TOOLS WORLD**



**WELCOME DINGQI MAKE**  
**QUALITY GUARANTEE**



## FIRST

### WRENCHES

Combination Wrench

TOOLS WORLD

L Type Wrench

TOOLS WORLD

Ratchet Wrench

TOOLS WORLD

Adjustable Wrench

TOOLS WORLD

Allen wrench

TOOLS WORLD

T/Y/Cross Wrench

TOOLS WORLD

Bit Socket

TOOLS WORLD

Socket Set

TOOLS WORLD

Tools Set

TOOLS WORLD

Tool Chest

TOOLS WORLD

## SECOND

### PLIERS

Combination Pliers

TOOLS WORLD

Diagonal Cutting Pliers

TOOLS WORLD

Long Nose Pliers

TOOLS WORLD

Pliers Set

TOOLS WORLD

Snap Ring Pliers

TOOLS WORLD

Wire Stripper

TOOLS WORLD

Groove Joint Pliers

TOOLS WORLD

Bolt Cutter

TOOLS WORLD

Locking Pliers

TOOLS WORLD

## THIRD

### HAMMER PICK SPADE

Claw Hammer

TOOLS WORLD

Stone Hammer

TOOLS WORLD

Rubber Hammer

TOOLS WORLD

Hollow Punch Set

TOOLS WORLD

Pin Punch

TOOLS WORLD

Iron Shovel

TOOLS WORLD

Steel Plck

TOOLS WORLD

## FOURTH

### GARDEN TOOL

Hand Saw

TOOLS WORLD

Garden Scissors

TOOLS WORLD

Hedge Shears

TOOLS WORLD

Gasoline Chain Saws

TOOLS WORLD

Gasoline Hole Drill

TOOLS WORLD

Reciprocating Saw

TOOLS WORLD

Plastic Spray Nozzle

TOOLS WORLD

## FIFTH

### MEASURE TOOLS

Measure Tape

TOOLS WORLD

Spirit Level

TOOLS WORLD

Digital Clap Meter

TOOLS WORLD

Platform Scale

TOOLS WORLD

Pipe Cutter

TOOLS WORLD .....

Pipe Welding

TOOLS WORLD .....

Tube Bender

TOOLS WORLD .....

Utility Knife

TOOLS WORLD .....

Steel File

TOOLS WORLD .....

Tile Cutter

TOOLS WORLD .....

Aviation Snip

TOOLS WORLD .....

Scissors

TOOLS WORLD .....

Screwdriver Bits Set

TOOLS WORLD .....

Screwdriver

TOOLS WORLD .....

## SEVENTH

### HOISTING CLASS .....

Hydraulic Jack

TOOLS WORLD .....

Hand Pallet Truck

TOOLS WORLD .....

Table Vise

TOOLS WORLD .....

Air Hose Reel

TOOLS WORLD .....

Tire Pressure Gun

TOOLS WORLD .....

Safety Harness

TOOLS WORLD .....

Cable Tie

TOOLS WORLD .....

## EIGHTH

### LIFTING TOOLS .....

Wheel Barrow

TOOLS WORLD .....

Hand Pump

TOOLS WORLD .....

Safety Ladder

TOOLS WORLD .....

## NINTH

### LABOR PROTECTION .....

Safety Helmet

TOOLS WORLD .....

Safety Goggles

TOOLS WORLD .....

Protective Gloves

TOOLS WORLD .....

Safety Shoes

TOOLS WORLD .....

Tool Box

TOOLS WORLD .....

Suction Lifter

TOOLS WORLD .....

## TENTH

### POWER TOOLS .....

Cordless Brushless Drill

TOOLS WORLD .....

Cordless Wrench

TOOLS WORLD .....

Cordless Pruner

TOOLS WORLD .....

Cordless Angle Grinder

TOOLS WORLD .....

Cordless Planer

TOOLS WORLD .....

Cordless Tile Tiling Machine

TOOLS WORLD .....

Cordless Blower

TOOLS WORLD .....

Cordless Brush Cutter

TOOLS WORLD .....

Flash light

TOOLS WORLD .....

Fast Station Charger

TOOLS WORLD .....

Impact Drill

TOOLS WORLD .....

Demolition Hammer

TOOLS WORLD .....

Angle Grinder

TOOLS WORLD .....

Jig Saw

TOOLS WORLD .....

Circular Saw

TOOLS WORLD .....

Electric Trimmer

TOOLS WORLD .....

Clean Water Pump

TOOLS WORLD .....

Automatic Water Pump

TOOLS WORLD .....

Pressure Controller

TOOLS WORLD .....

Car Washer

TOOLS WORLD .....

Generator

TOOLS WORLD .....

Welding Machine

TOOLS WORLD .....

Air Compressor

TOOLS WORLD .....

Vibrator

TOOLS WORLD .....

**ELEVENTH**

**STAPLE GUNS .....**

Screws/Nails

TOOLS WORLD .....

Hand Riveter

TOOLS WORLD .....

Pneumatic Nail Gun

TOOLS WORLD .....

**TWELFTH**

**SPRAY AND PAINT .....**

Spray Gun

TOOLS WORLD .....

Flame Thrower

TOOLS WORLD .....

Hot Air Gun

TOOLS WORLD .....

Lubricating Oil Pump

TOOLS WORLD .....

Glue Gun

TOOLS WORLD .....

Sealant

TOOLS WORLD .....

Paint Brush

TOOLS WORLD .....

Vibration Bar

TOOLS WORLD .....

**THIRTEENTH**

**TOOLS ACCESSORIES ..**

Drill Bit

TOOLS WORLD .....

Drill Set

TOOLS WORLD .....

Point Chisel

TOOLS WORLD .....

Flat Wood Bit

TOOLS WORLD .....

Hole Saws Set

TOOLS WORLD .....

Diamond Core Drill

TOOLS WORLD .....

Screws Extractor

TOOLS WORLD .....

Abrasive Paper

TOOLS WORLD .....

STEEL WIRE BRUSH

TOOLS WORLD .....

CUTTING DISC

TOOLS WORLD .....

**FOURTEENTH**

**LOCK .....**

Padlock

TOOLS WORLD .....

Door Lock

TOOLS WORLD .....

**FIFTEEN  
CATEGORIES**

**LAMPS AND LANTERNS**

BULB

TOOLS WORLD .....

WIRELESS LIGHT

TOOLS WORLD .....

**SEVENTEEN  
CATEGORIES**

**PROMOTIONAL PRODUCT**

GIFT

TOOLS WORLD .....

**COMBINATION SPANNER SET**

- Material:45#steel
- SIZE:8-32mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
1010108	8-19mm	20	0.021	16.6
1010110	8-24mm	10	0.016	14.8
1010112	8-32mm	8	0.026	21.7

**COMBINATION WRENCH SET**

- Material:45#steel
- SIZE:8/10/12/13/14/17mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
11102	6PCS	20	0.040	11.6

**L TYPE WRENCH WITH HOLE**

- Material:CR-V
- SIZE:8/10/12/13/17/19mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
11101	6PCS	10	0.031	14.2

**COMBINATION WRENCH SET**

- Material:40CRV
- SIZE:6/7/8/9/10/11/12/13/14/15/16/17/18/19/22/24mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
11001	16PCS	6	0.030	15.3

**COMBINATION WRENCH SET**

- Material:CR-V
- SIZE:8/10/11/12/13/14/16/17/18/19/22/24mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
11003	12PCS	10	0.043	18.5

**RATCHET COMBINATION WRENCH SET**

- Material:CR-V
- SIZE:8/10/12/13/14/17/19mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
15001	7PCS	12	0.023	13.7

**COMBINATION WRENCH SET**

- Material:40 CRV
- SIZE:6/7/8/9/10/11/12/13/14/15/16/17/18/19/21/22/24/27/29/30/32mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
11007	21PCS	4	0.045	18.0

**COMBINATION WRENCH SET**

- Material:CR-V
- SIZE:8/10/11/12/13/14/16/17/19mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
11104	9PCS	10	0.031	10.2

**L TYPE WRENCH WITH HOLE**

- Material:CR-V
- SIZE:8/9/10/11/12/13/14/17/19mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
11103	9PCS	8	0.041	15.7

**FLEXIBLE RATCHET COMBINATION WRENCH SET**

- Material:CR-V
- SIZE:8/10/12/13/14/17/19mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
15002	7PCS	12	0.023	15.3

**L TYPE WRENCH WITH HOLE**

- Material:CR-V
- SIZE:8/9/10/11/12/13/14/17/19/22mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
11105	10PCS	8	0.054	20.6

**L TYPE WRENCH WITH HOLE**

- Material:CR-V
- SIZE:8/9/10/11/12/13/14/17/19/22mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
11105	10PCS	8	0.054	20.6

### 1/2" UNIVERSAL JOINT

· Material:CR-V



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
14033	1/2"	120	0.012	26.0

### EXTENSION BAR

· Material:CR-V



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
14037	1/2X10"	48	0.018	19.7
14038	1/2X5"	96	0.028	21.2

### BEND BAR

· Material:CR-V



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
14034	1/2X10"	48	0.018	22.2
14035	1/2X12"	36	0.016	19.4

### 1/2" SOCKET SET

· Material:CR-V  
· SIZE:10"/5"/10"



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
14040	3PCS	12	0.016	13.1

### 1/2" SLIDING BAR

· Material:CR-V



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
14036	1/2X10"	48	0.020	18.5
14039	1/2X12"	48	0.023	21.4

### 1/2" SOCKET SET

· Material:CR-V  
· SIZE:10"/5"/10"



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
14041	3PCS	12	0.016	13.5

### 1/2" SOCKET SET

· SIZE:10"/5"/5"/10"  
· Material:CR-V



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
14043	4PCS	12	0.016	14.4

### 8PCS COMBINATION SPANNER SET

· Carbon steel 45  
· 6"/8"/10"/12"/13"/14"/15"/16"/17"/18"/19"/20"/22"



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
AA01501	10SET	20SET	0.0178	15

### RING SLOGGING WRENCH

· Material:CR-V  
· SIZE:32-50mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
AC3032	32mm	40	0.0112	20.0
AC3036	36mm	20	0.0072	11.3
AC3041	41mm	20	0.0096	15.3
AC3046	46mm	20	0.0125	19.8
AC3050	50mm	12	0.0097	14.5

### 12PCS 1/4" SOCKET SET

· Material:CR-V  
· SIZE:5-14mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
14048	1/4"	20	0.033	10.2

### 12PCS 1/2" SOCKET SET

· Material:CR-V  
· SIZE:10-24mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
14049	1/2"	10	0.033	16.5

### 20PCS SOCKET SET

· Material:CR-V  
· SIZE:8-32mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
14054	1/2"	6	0.025	16.3

**RATCHET WRENCH**

- Material:CR-V
- TPR+PP handle



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
14101	1/2"	20	0.020	11.8
14102	1/4"	60	0.017	11.8

**ADJUSTABLE WRENCH**

- Material:45# Carbon steel /CRV
- SIZE: 8"/200



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
AF01601	8"/200	48	0.0177	13.0
AF01602	10"/250	36	0.0184	18.5
AF01603	12"/300	24	0.0193	20.0

**ADJUSTABLE WRENCH**

- SIZE:8"-12"
- Material :45 steel
- Handle material : tpr handle
- Finish : bright chrome
- Technical treatment : heat treatment and high hardness



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
16308	8"	48	0.019	15.6
16310	10"	36	0.021	19.1
16312	12"	24	0.022	20.0

**FOLDING TORX KEY**

- Material:CR-V
- SIZE:T9/T10/T15/T20/T25/T27/T30/T40



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
17001	8PCS	120	0.055	24.9

**FOLDING HEX KEY**

- Material:CR-V
- SIZE:1.5/2/2.5/3/3.5/4/5/6



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
17002	8PCS	120	0.056	20.0

**FOLDING HEX&TORX KEY**

- Material:CR-V
- SIZE:1.5/2/2.5/3/4/5/6/8  
T9/T10/T15/T20/T25/T27/T30/T40



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
17005	2PCS	60	0.035	21.0

**FOLDING HEX KEY**

- Material:CR-V
- SIZE:1.5/2/2.5/3/4/5/6/8



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
17006	8PCS	120	0.036	21.9

**FOLDING TORX KEY**

- Material:CR-V
- SIZE:T9/T10/T15/T20/T25/T27/T30/T40



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
17007	8PCS	120	0.034	20.5

**8PCS TORX T-HANDLE SCREWDRIVERS SET**

- Material:CR-V
- SIZE:T10/T15/T20/T25/T30/T40/T45/T50



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
17008	8PCS	12	0.055	12.0

**8PCS BALL HEAD SCREWDRIVERS SET**

- Material:CR-V · hand shank:PP+TPR
- SIZE:2/2.5/3/4/5/6/8/10



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
ART:17009	8PCS	12	0.055	12.9

**9PCS HEX KEY**

- Material:CR-V
- SIZE:1.5/2/2.5/3/4/5/6/8/10



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
17120A	SHORT(9PCS)	36	0.026	11.5
17121A	MEDIUM(9PCS)	36	0.034	14.5
17122A	LONG(9PCS)	36	0.044	17.8

**9PCS TORX KEY**

- Material:CR-V
- SIZE:T10/T15/T20/T25/T27/T30/T40/T45/T50



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
17123A	SHORT(9PCS)	36	0.028	11.2
17124A	MEDIUM(9PCS)	36	0.035	14.2
17125A	LONG(9PCS)	36	0.042	17.1

### 5 PCS TORX KEY SET

- Material:CR-V
- SIZE:M5/M6/M8/M10/M12
- 1 Suitable for construction, engineering, home furnishing, vehicles, etc.
- 2 The 12-point key is made of heat-treated chromium vanadium steel for strength and durability.
- 3 Harden the shaft for maximum strength.
- 4 Precision molding to precise tolerances.
- 5 The material is chrome vanadium steel CRV 6150



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
1071005	5PCS	24	0.021	13.5

### 6PCS TORX KEY SET

- Material:CR-V
- SIZE:T25/T30/T40/T45/T50/T55
- Suitable for construction, engineering, home furnishing, vehicles, etc.
- The 12-point key is made of heat-treated chromium vanadium steel for strength and durability.
- Harden the shaft for maximum strength.
- Precision molding to precise tolerances.
- The material is chrome vanadium steel CRV 6150



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
1071006	6PCS	24	0.021	13.5

### Y Wrench

- Rod: 45 # steel, · rod diameter: 10mm,
- sleeve: chrome vanadium steel,
- surface: bright chrome plated



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
AI081012	8X10X12mm	48	0.035	11.7
AI081013	8X10X13mm	48	0.026	9.5
AI081014	10X12X14mm	24	0.017	7.3
AI081017	12X14X17mm	24	0.017	7.3
AI081019	14X17X19mm	24	0.017	7.3

### T-WRENCH

- Material:CR-V



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
19008A	8mm	80	0.039	21.0
19009A	9mm	80	0.039	21.0
19010A	10mm	80	0.039	21.0
19011A	11mm	80	0.045	25.0
19012A	12mm	80	0.048	27.2
19013A	13mm	80	0.045	27.0
19014A	14mm	80	0.056	28.0
19015A	15mm	80	0.045	28.0
19016A	16mm	80	0.045	29.0
19017A	17mm	80	0.045	30.0
19018	18mm	80	0.050	31.7
19019	19mm	80	0.046	31.3

### CROSS WRENCH

- Material:CR-V



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
18107	14"	12	0.020	15.4

### CROSS WRENCH

- Black+Orange
- 17X19X21X23mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
18104	14"/350mm	10	0.027	13.8

### 3PCS SPARK PLUG WRENCH

- Material:CR-V



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
19113	16x21mm	50	0.034	20.1

### SPARK PLUG WRENCH

- Material:CR-V



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
19114	14mm	50	0.014	10.5
19116	16mm	50	0.015	10.7
19121	21mm	50	0.017	12.9

### Y-WRENCH

- Material:CR-V



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
19001	8X10X13mm	100	0.033	27.0
19002	8X10X12mm	100	0.033	28.0
19003	10X12X14mm	80	0.033	25.6
19004	12X14X17mm	80	0.033	30.0
19005	14X17X19mm	70	0.032	30.0

### MAGNETIC NUT SETTERS

- Small hole: 1/4"
- hexagonal hole: 1/2"



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
ND01401	1/4 \ 1/2	200	0.0389	16.5

### MAGNETIC SCREW DRIVER BIT

- PH2 · Length :65mm
- HRC Rockwell hardness :58° -62°



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
AL02401	65mm	96	0.0223	16.9

### BIT SOCKET

· Material:CR-V



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
AD01406	1/2,H6	120	0.0073	9.5
AD01408	1/2,H8	120	0.0073	9.4
AD01410	1/2,H10	120	0.0073	9.94
AD01430	1/2,T30	120	0.0073	9.09
AD01440	1/2,T40	120	0.0073	9.09
AD01445	1/2,T45	120	0.0073	9.09
AD01450	1/2,T50	120	0.0073	9.09

### 5PCS MAGNETIC SOCKET SET

· Chrome-vanadium Material  
· Hardness: 54-55hrc Sandblast Finishing



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
14408	8mm	72	0.22	14.2
14410	10mm	72	0.025	15.4
14412	12mm	72	0.031	20.8
14413	13mm	72	0.031	19.9

### 10PCS 1/2" SOCKET SET

· Plastic box set



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
AJ01010	10PCS	10	0.024	15.0

### 59PCS TOOLS BOX SET

· Material:CR-V



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
110059	59PCS	1	0.028	12.7

### 38PCS CORDLESS DRILL TOOLS SET

· Material:CR-V



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
10100138	38PCS	3	0.048	15.7

### 21PCS 3/4" SOCKET SET

· Material:CR-V



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
14003	3/4"21pc	1	0.009	16.1

### IMPACT SOCKET SET

· 10pcs impact deep socket set. Material use superior Cr-Mo.  
The sockets height is 1 1/2" (12.5mm) Sockets covers The most common  
· sizes :10/12/13/14/15/17/19/21/22/24mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
14005	10PCS	8	0.018	18.9

### 93 PCS SOCKET TOOLS SET

- 1/2" 10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32mm
- 1/2" 4-4.5-5-5.56-7-8-9-10-11-12-13-14mm
- 1/2" 14-15-17-19mm
- 1/2" 6-7-8-9-10-11-12-13mm
- 1/2" 1PCS
- 1/2" 125mm&250mm
- 1/2" 1-Universal Joint
- 1/2" 1-1/2" DR.3-Way Afaaptor
- 1/2" 1-Spark plug socket 16mm,21mm
- 1/2" 1-1/2" DR.Hexagon bit coupler5716"
- 1/2" 1-1/2" DR.3-Way Afaptor
- 1/2" 1PCS
- 1/2" Spinner Handle
- 1/2" 50mm&100mm
- 1/2" 1-Universal Joint
- 1/2" 1-1/4" Hex to 1/4" dr socket Adaptor
- 1/2" 3-Hex key wrench 1.5-2.5mm

CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
14052	93PCS	3	0.0418	21.0



- T8-10-15-20-25-30
- H3-4-5-6
- PH1-PH2
- PZ1-PZ2
- S4-SLS-SLT
- T40-45-50-55
- H8-10-12-14
- P13-P14
- P13-P24
- 6-10-12mm

### 1/2" DEEP SOCKET

- Material:CR-V
- SIZE:8-24mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
14108A	8mm	0.021	120	23.5
14110A	10mm	0.022	120	19.8
14111A	11mm	0.014	120	11.8
14112A	12mm	0.014	120	12.6
14113A	13mm	0.014	120	22.5
14114A	14mm	0.014	120	14.1
14115A	15mm	0.014	120	14.4
14116A	16mm	0.014	120	19.3
14117A	17mm	0.014	120	14.4
14118A	18mm	0.018	120	15.6
14119A	19mm	0.018	120	17.5
14121A	21mm	0.018	100	16.2
14122A	22mm	0.018	100	17.0
14123A	23mm	0.018	100	20.5
14124A	24mm	0.018	100	21.4

### L TYPE WRENCH WITH HOLE

- SIZE:8-46mm
- MATERIAL:45#
- SURFACE:Satin Chrome plated against corrosion,strong bending resistance.



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
11106	6mm	400	0.012	20.0
11107	7mm	400	0.012	23.7
11108	8mm	360	0.012	20.7
11109	9mm	280	0.012	27.5
11110	10mm	216	0.012	21.0
11111	11mm	192	0.012	23.5
11112	12mm	168	0.012	24.4
11113	13mm	144	0.012	24.1
11115	15mm	80	0.012	20.4
11116	16mm	72	0.012	18.1
11117	17mm	64	0.012	19.7
11118	18mm	48	0.012	19.5
11119	19mm	48	0.012	19.6
11120	20mm	48	0.015	24.0
11121	21mm	40	0.015	22.0
11122	22mm	40	0.015	23.0
11123	23mm	32	0.015	24.2
11124	24mm	32	0.015	24.5
11126	26mm	24	0.015	22.0
11127	27mm	24	0.015	23.1
11128	28mm	24	0.014	23.0
11130	30mm	16	0.014	19.7
11132	32mm	12	0.014	18.3
11134	34mm	12	0.014	19.1
11136	36mm	12	0.014	20.2
11138	38mm	8	0.014	20.0
11141	41mm	8	0.014	18.0
11142	42mm	8	0.014	18.0
11146	46mm	8	0.014	24.0

### COMBINATION WRENCH WITH CARD

- SIZE:6-32mm
- MATERIAL:Chrome Vanadium steel
- SURFACE:Satin Chrome plated against corrosion,strong bending resistance.



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
11006	6mm	600	0.030	16.4
11007	7mm	600	0.030	15.9
11008	8mm	400	0.030	15.0
11009	9mm	400	0.031	14.6
11010	10mm	400	0.023	22.2
11011	11mm	240	0.023	15.9
11012	12mm	240	0.023	18.7
11013	13mm	240	0.028	22.3
11014	14mm	192	0.028	22.3
11015	15mm	192	0.028	25.6
11016	16mm	144	0.027	25.3
11017	17mm	144	0.027	24.0
11018	18mm	120	0.027	21.0
11019	19mm	120	0.027	24.3
11021	21mm	72	0.021	18.2
11022	22mm	72	0.021	19.9
11023	23mm	60	0.020	19.0
11024	24mm	60	0.020	19.1
11027	27mm	54	0.033	22.2
11029	29mm	36	0.027	19.6
11030	30mm	36	0.033	28.6
11032	32mm	36	0.026	24.0

### COMBINATION WRENCH

- Material:CR-V
- SIZE:6-32mm
- MATERIAL:Chrome Vanadium steel
- SURFACE:Satin Chrome plated against corrosion,strong bending resistance.



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
11206	6mm	300	0.018	9.1
11207	7mm	300	0.018	10.4
11208	8mm	300	0.015	11.8
11209	9mm	300	0.014	12.5
11210	10mm	300	0.014	14.8
11211	11mm	300	0.014	19.5
11212	12mm	200	0.011	18.5
11213	13mm	200	0.018	24.4
11214	14mm	200	0.018	13.8
11215	15mm	150	0.013	18.6
11216	16mm	150	0.013	19.0
11217	17mm	150	0.018	23.0
11218	18mm	120	0.015	20.0
11219	19mm	120	0.015	18.9
11220	20mm	80	0.020	22.2
11221	21mm	80	0.020	22.4
11222	22mm	80	0.020	21.9
11223	23mm	60	0.015	24.0
11224	24mm	60	0.015	19.9
11225	25mm	60	0.015	27.0
11226	26mm	60	0.0272	28.0
11227	27mm	60	0.027	30.0
11229	29mm	30	0.014	17.0
11230	30mm	30	0.017	18.0
11232	32mm	30	0.014	19.5

### OFFSET RING WRENCH SPANNER

- SIZE:6X7mm-30X32mm
- MATERIAL:Chrome Vanadium steel
- SURFACE:Satin Chrome plated against corrosion,strong bending resistance.



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
13001	6X7mm	300	0.023	15.0
13002	8X9mm	300	0.023	15.0
13003	8X10mm	300	0.023	15.0
13004	10X11mm	300	0.023	22.1
13005	10X12mm	300	0.023	22.1
13006	12X13mm	160	0.015	20.1
13007	14X15mm	160	0.019	22.9
13008	14X17mm	160	0.019	24.0
13009	16X17mm	80	0.019	17.1
13010	16X18mm	80	0.019	17.1
13011	17X19mm	80	0.019	15.8
13012	18X19mm	80	0.019	17.1
13013	19X21mm	60	0.025	17.2
13014	19X22mm	60	0.025	17.2
13015	20X22mm	60	0.025	17.2
13016	21X23mm	30	0.016	15.0
13017	12X14mm	160	0.015	20.1
13018	24X47mm	30	0.016	16.0
13019	27X30mm	30	0.016	16.0
13020	30X32mm	30	0.019	17.0
13021	22X24mm	30	0.016	16.0

### DOUBLE OPEN WRENCH

- SIZE:6X7mm-30X32mm
- MATERIAL:Chrome Vanadium steel
- SURFACE:Satin Chrome plated against corrosion,strong bending resistance.



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
12001	6X7mm	300	0.018	7.5
12002	8X9mm	300	0.018	12.7
12003	8X10mm	300	0.018	13.1
12004	9X11mm	300	0.018	18.2
12005	10X11mm	300	0.018	18.1
12006	10X12mm	300	0.018	18.2
12007	12X13mm	200	0.015	19.1
12008	12X14mm	200	0.015	19.3
12010	13X15mm	200	0.015	22.6
12012	14X15mm	200	0.015	22.8
12013	14X17mm	150	0.017	20.6
12014	16X17mm	150	0.017	24.3
12015	16X18mm	150	0.017	24.8
12016	17X19mm	150	0.020	28.4
12017	18X19mm	120	0.020	28.5
12019	19X21mm	80	0.020	25.0
12020	19X22mm	80	0.020	25.4
12021	20X22mm	80	0.019	20.3
12022	21X23mm	80	0.019	20.7
12023	22X24mm	80	0.019	16.1
12024	24X27mm	60	0.024	24.5
12025	25X28mm	30	0.024	23.8
12026	27X30mm	30	0.016	16.0
12027	30X32mm	30	0.016	16.7

### RATCHET COMBINATION WRENCH

- SIZE:8mm- 32mm
- MATERIAL:Strong torque, long service life72 thmovable head dual-purposeopen end is not easy to rust Any choice of 180 degrees, flexible usefor narrow spaces, only 5 degrees of professionalchoice for one rotation



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
15008A	8mm	300	/	/
15009A	9mm	300	/	/
15010A	10mm	300	0.039	25.0
15011A	11mm	200	0.039	17.4
15012A	12mm	200	0.039	20.4
15013A	13mm	200	0.039	22.1
15014A	14mm	200	0.039	27.3
15015A	15mm	120	0.032	18.9
15016A	16mm	120	0.032	21.1
15017A	17mm	120	0.032	24.3
15018A	18mm	120	0.032	26.3
15019A	19mm	120	0.032	30.0
15021A	21mm	60	0.024	20.6
15022A	22mm	60	0.024	19.0
15023A	23mm	60	0.032	28.6
15024A	24mm	60	0.032	28.1
15025	25mm	32	0.014	17.8
15027A	27mm	24	0.016	12.6
15030	30mm	24	0.017	21.0
15032	32mm	24	0.017	20.5

### PRESSURE PROOF PLIERS

- Material:TPR+PVC
- #45 Steel



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
21007	7"/178mm	36	0.036	13.4
21008	8"/203mm	36	0.042	16.4

### COMBINATION PLIERS

- Material:C45+PVC



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
21106	6"/152mm	72	0.033	18.7
21107	7"/178mm	72	0.040	21.9
21108	8"/203mm	48	0.031	18.3

### PRESSURE PROOF DIAGONAL CUTTING PLIER

- Material:C45+PVC



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
22006	6"/152mm	36	0.031	10.3
22007	7"/178mm	36	0.040	13.1

### DIAGONAL CUTTING PLIERS

- Material:C45+PVC



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
22106	6"/203mm	72	0.044	17.1
22107	7"/178mm	72	0.048	21.3

### PRESSURE PROOF LONG NOSE PLIERS

- Material:C45+PVC



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
23006	6"/152mm	36	0.032	8.9

### LONG NOSE PLIERS

- Material:C45+PVC



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
23106	6"/152mm	72	0.027	
23108	8"/203mm	72	0.035	

### COMBINATION PLIERS

- Material:PVC
- 45#



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
21206	6"/152mm	48	0.024	11.0
21207	7"/178mm	48	0.029	14.3
21208	8"/203mm	48	0.028	17.3

### COMBINATION PLIERS

- Material:S55C+TPR



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
21306	6"/152mm	48	0.021	6.6
21307	7"/178mm	48	0.025	12.3
21308	8"/203mm	48	0.027	18.5

### LONG NOSE PLIERS

- Material:55Steel



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
23206	6"/152mm	48	0.021	8.2
23208	8"/203mm	48	0.027	11.3

### MINI COMBINATION PLIERS

- Material:C45+TPR



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
21001	5"/127mm	120	0.044	12.7

### DIAGONAL CUTTING PLIERS

- Material:C45



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
BB01006	6"/152mm	48	0.023	10.2
BB01007	7"/178mm	48	0.025	14.0

### MINI DIAGONAL CUTTING PLIERS

- Material:C45+TPR 35 wire



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
22001	5"/127mm	120	0.044	12.0

**WIRE STRIPPING PLIERS**

· Material:C45+TPR



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
22002	7"/178mm	48	0.024	10.2

**MINI PLIERS SET**

· Material:CR-V



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
23002	3PCS	24	0.028	7.2

**3PCS INDUSTRIAL GRADE PLIERS SET**

· Material:C45+PVC



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
22003	3PCS	12	0.047	12.9

**INDUSTRIAL GRADE PLIERS**

· Material:C45  
· 8 steel  
· 8 pointed  
· 6 diagonal



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
22401	3PCS	12	0.047	13.0

**SNAP RING PLIERS**

· Material:C45



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
28002	7"/178mm	60	0.022	11.7
28093	9"/229mm	60	0.028	20.0

**SNAP RING PLIERS**

· Material:C45



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
28003	7"/178mm	60	0.022	11.5
28092	9"/229mm	60	0.028	16.7

**SNAP RING PLIERS**

· Material:45# Steel



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
28004	7"	60	0.023	11.6
28094	9"	60	0.028	18.3

**DIAGONAL CUTTER**

· MATERIAL:55# steel  
· 6" / 150mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
BB02206	6"/152mm	60	0.0305	9.50

**SNAP RING PLIERS**

· Material:CR-V



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
28005	4PCS	24	0.045	18.1

**CARPENTER PINCER**

· Material:55# Steel+PVC



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
24008	8"/203mm	48	0.029	18.0

**END CUTTING PLIERS**

· Material:CR-V



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
24106	6"/152mm	60	0.021	13.0
24107	7"/180mm	60	0.023	17.8

**GROOVE JOINT PLIERS**

· Material:45#Steel



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
27101	10"/255mm	48	0.024	19.5
27102	12"/304mm	36	0.029	21.9

### GROOVE JOINT PLIERS

- Material:55# Steel
- Quick press to lock



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
BG1010	10"	36	0.019	14.0
BG1012	12"	24	0.023	15.0

### GROOVE JOINT PLIERS

- Material:45#Steel+TPR



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
27103	10"/255mm	36	0.023	16.2

### GROOVE JOINT PLIERS

- Material:C45+PVC
- 45#steel+PVC



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
2070101	10"/255mm	36	0.030	19.0

### MINI BOLT CUTTER

- Material:CR-V



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
25008	8"/203mm	60	0.048	19.1

### HEAVY DUTY PIPE WRENCH

- Material:CR-V



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
26008	8"/203mm	48	0.020	19.4
26010	10"/255mm	36	0.022	24.3
26012	12"/304mm	24	0.014	22.7
26014	14"/355mm	18	0.023	23.5
26018	18"/457mm	12	0.019	22.6
26024	24"/609mm	8	0.025	25.1
26036	36"/914mm	4	0.034	23.0
26048	48"/1219mm	2	0.026	19.9



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
25218	18"/457mm	12	0.024	18.5
25224	24"/609mm	8	0.028	20.0
25230	30"/762mm	5	0.027	20.0
25236	36"/914mm	4	0.035	25.0
25242	42"/1067mm	3	0.036	27.0
25048	48"/1219mm	2	0.018	19.0



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
25114	14"/356mm	20	0.027	18.8
25118	18"/457mm	12	0.047	31.4
25124	24"/609mm	8	0.031	19.7
25130	30"/762mm	5	0.032	19.9
25136	36"/914mm	4	0.036	21.0

**WIRE STRIPPING PLIERS**

· Material:C45+TPR



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
22002	7"/178mm	48	0.024	10.2

**MINI PLIERS SET**

· Material:CR-V



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
23002	3PCS	24	0.028	7.2

**3PCS INDUSTRIAL GRADE PLIERS SET**

· Material:C45+PVC



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
22003	3PCS	12	0.047	12.9

**INDUSTRIAL GRADE PLIERS**

· Material:C45  
· 8 steel  
· 8 pointed  
· 6 diagonal



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
22401	3PCS	12	0.047	13.0

**SNAP RING PLIERS**

· Material:C45



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
28002	7"/178mm	60	0.022	11.7
28093	9"/229mm	60	0.028	20.0

**SNAP RING PLIERS**

· Material:C45



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
28003	7"/178mm	60	0.022	11.5
28092	9"/229mm	60	0.028	16.7

**SNAP RING PLIERS**

· Material:45# Steel



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
28004	7"	60	0.023	11.6
28094	9"	60	0.028	18.3

**DIAGONAL CUTTER**

· MATERIAL:55# steel  
· 6" / 150mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
BB02206	6"/152mm	60	0.0305	9.50

**SNAP RING PLIERS**

· Material:CR-V



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
28005	4PCS	24	0.045	18.1

**CARPENTER PINCER**

· Material:55# Steel+PVC



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
24008	8"/203mm	48	0.029	18.0

**END CUTTING PLIERS**

· Material:CR-V



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
24106	6"/152mm	60	0.021	13.0
24107	7"/180mm	60	0.023	17.8

**GROOVE JOINT PLIERS**

· Material:45#Steel



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
27101	10"/255mm	48	0.024	19.5
27102	12"/304mm	36	0.029	21.9

### LOCKING PLIERS

· Material:CR-V



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
27001	10"/255mm	36	0.030	18.0

### LOCKING PLIERS

· Material:CR-V



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
27002	10"/255mm	36	0.032	19.7

### CHAIN LOCKING PLIER

· Material:CR-V



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
27005	10"/255mm	24	0.020	14.0

### C CLAMP LOCKING PLIER

· Material:CR-V



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
27006	11"/366mm	24	0.037	18.0

### WIRE STRIPPER

· CABLE SIZE:AWG8-10-12-14-16  
· HANDLE:TPR HANDLE  
· 65mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
67003	8"	72	0.035	17.3

### TAPE DISPENSER

· IRON  
· MULTIFUNCTION



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
FC02801	7"	60	0.063	12.0

### 40PCS SCREWDRIVER BITS SET

· HEX · SPLINE · TORX  
· 1/2" × 10mm  
· 3/8" × 10mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
68001	40pcs	10	0.020	20.4

### SCREWDRIVER BITS

· 6.5×65mm(+)-×10



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
68002	10pcs	120	0.016	21.0

### SCREWDRIVER BITS

· 6.5×65mm(+)-×10



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
68003	10pcs	120	0.016	20.5

### MULTI-PURPOSE SCREWDRIVER

· PH1(+)-3/16(-)  
· PH2(+)-1/4(-)  
· SCREWDRIVER  
· 45#STEEL



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
68009	4pcs	120	0.021	15.7

### SCREWDRIVER BITS SET

· PH1(+)-PH2(+)-4(-)  
· S(-)-6(-)  
· PZ1 · PZ2 · T15 · T20  
· ADP  
· SCREWDRIVER  
· CR-V\5 OPP+TPR



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
68010	11pcs	72	0.064	16.1

**FITTER HAMMER**

- 45 STEEL
- TPR+PVC HANDLE
- HRC 48-52



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
31102	200G	60	0.026	20.9
31103	300G	48	0.018	22.9
31104	400G	48	0.031	28.0
31105	500G	36	0.030	28.4
31110	1000G	12	0.016	15.6
31115	1500G	12	0.021	23.1
31120	2000G	12	0.026	30.0

**STONE HAMMER**

- 45 STEEL
- TPR+PVC HANDLE
- HRC 48-52



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
33050	5KG	4	0.032	25.2

**CLAW HAMMER**

- 45 STEEL
- TPR+PVC HANDLE



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
32005	700G	24	0.023	25.0

**MINI CLAW HAMMER**

- 45 STEEL
- TPR+PVC HANDLE



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
32107	8oz/250G	36	0.014	13.5

**CLAW HAMMER**

- 45 STEEL
- TPR+PVC HANDLE



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
32108	8oz/250g	48	0.027	20.0
32116	16oz/450g	24	0.024	18.7
32120	20oz/560g	24	0.025	21.0
32124	24oz/675k	24	0.028	22.7

**CLAW HAMMER**

- 45 STEEL
- TPR+PVC HANDLE



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
32208	8oz	48	0.028	20.0
32216	16oz	24	0.025	18.6

**BALL PIN HAMMER**

- 45 STEEL
- TPR+PVC HANDLE
- HRC 48-52



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
34010	1LB/16 Oz	24	0.018	15.3
34015	1.5LB/24 Oz	24	0.023	22.4
34020	2LB/32 Oz	12	0.015	14.9

**STONE HAMMER**

- 45 STEEL
- TPR+PVC HANDLE



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
33010	1000G	12	0.010	15.0
33015	1500G	12	0.013	21.4
33020	2000G	12	0.016	27.4

**RUBBER HAMMER**

- SIZE:3/8"
- ADJUSTABLE RANGE:2-1/2/65MM
- -12-1/2/10MM



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
CE01435	35MM/270mm	36	0.025	16.0

**4PCS WOOD CHISEL**

- Material:CR-V
- TPR+PVC HANDLE
- SIE:6/14/16/25mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
37004A	4	24	0.049	10.0

**RUBBER HAMMER**

- BLACK RUBBER HEAD
- TPR+PVC HANDLE



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
35008	300G/8oz	48	0.047	20.1
35012	400G/12oz	36	0.047	19.5
35016	500G/16oz	24	0.036	15.8
35024	750G/24oz	24	0.050	24.9

## WOOD CHISEL

- Material:CR-V
- TPR+PVC HANDLE



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
37008A	8MM	48	0.036	10.0
37010A	10MM	48	0.036	10.3
37012A	12MM	48	0.036	10.7
37014A	14MM	48	0.036	11.1
37016A	16MM	48	0.036	11.8
37019A	19MM	48	0.036	12.5
37022A	22MM	48	0.036	13.1
37025A	25MM	48	0.036	14.0

## AXE WITH PLASTIC HANDLE

- 45 STEEL
- TPR+PVC HANDLE



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
38009	600G	24	0.027	25.0
38010	800G	24	0.029	30.0

## STONE CHISEL

- MATERIAL:CR-V
- TPR+PVC HANDLE



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
37209	300×16mm	24	0.023	16.2

## STONING CHISEL

- MATERIAL:CR-V
- TPR+PVC HANDLE



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
37210	300×16MM	24	0.032	16.3

## CENTRE PUNCH SET

- SIE:3/8"
- ADJUSTABLE RANG:2-1/2/65MM
- -12-1/2/10MM



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
CG01003	3/8"	48	0.023	18.0

## 6PCS PIN PUNCH SET

- PIN PUNCHES:1.5x6x150mm/3x8x150mm
- 4x8x150mm/5x8x150mm/6x8x150mm
- 8x10x150mm
- Material:CR-V



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
CG01011	6PCS	36	0.017	18.0

## 6PCS PUNCH&CHISEL SET

- SOLID PUNCHES:2x10x140mm
- PIN PUNCHES:8x10x150mm/3x8x150mm
- CENTER PUNCHES:8x11x115mm
- CHISEL:10x8x140mm/12x10x150mm
- Material:CR-V



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
CG01012	6PCS	36	0.017	18.0

## 6PCS PUNCH&CHISEL SET

- SOLID PUNCHES:2x10x140mm
- PIN PUNCHES:8x10x150mm/3x8x150mm
- CENTER PUNCHES:8x11x115mm
- CHISEL:10x8x140mm/12x10x150mm
- Material:CR-V



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
CG01012	6PCS	36	0.017	18.0

## IRON SHOVEL

- iron



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
38005	1KG	12	0.030	12.0

## IRON SHOVEL

- iron
- WIDTH:27CM



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
38027	1KG	12	0.033	12.2

## STEEL PICK

- HEAD CARBON STEEL
- CIRCULAR HOLE



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
39004	2KG	6	0.012	12.0

### STEEL PICK

- HEAD CARBON STEEL
- CIRCULAR HOLE
- HOLE DISTANCE:48×42mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
39001	1.5KG	8	0.018	9.20
39002	1.8KG	6	0.032	12.4
39003	2KG	6	0.010	12.6

### WRECKING BAR

- SIZE:18" /24" /30" /36"



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
37218	18"	12	0.010	16.9
37224	24"	12	0.013	21.7
37230	30"	12	0.017	26.1
37236	36"	12	0.019	31.4

### BENDING BAR

- THICKNESS:19/19/21/21/10/12/14/16MM



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
37101	12×14×800mm	12	0.011	24.80
37102	14×16×800mm	12	0.010	24.60
37103	12×14×800mm	8	0.013	21.15
37104	14×16×800mm	8	0.012	21.20
37105	6×8×385mm	100	0.013	24.80
37106	8×10×445mm	50	0.013	25.05
37107	10×12×490mm	40	0.018	31.00
37108	12×14×500mm	30	0.014	29.30

### HIGH GRADE HAND SAW

· 65Mn



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
42016	16"	40	0.059	15.9
42018	18"	40	0.063	17.1
42020	20"	40	0.067	18.6
42022	22"	40	0.075	19.8

### PRUNING SAW

· Wood Handle  
· With Card  
· 65Mn



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
43001	350mm	20	0.078	11.8

### BACK SAW

· 65Mn



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
42001	12"/300mm	12	0.077	9.0

### PRUNING SAW

· 65Mn



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
43006	350mm	36	0.062	15.1

### PRUNING SAW

· 65Mn



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
43005	10"/270mm	24	0.060	11.0
DC01027	11"/270mm	24	0.019	4.5
DC01030	12"/300mm	24	0.021	5.0

### PRUNING SAW

· Without Card  
· 65Mn



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
43007	350mm	36	0.060	17.5

### WALL PANEL SAW

· Without Card  
· 65Mn



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
42003	165mm	72	0.080	13.1

### PRUNING SAW

· 270MM



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
43004	180mm	20	0.021	5.4

### PRUNING SAW

· Without Card  
· 65Mn



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
43035	14" /355mm	48	0.054	22.4

### PRUNING SAW

· Length: 210mm  
· SK5



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
DG02210	210mm	120	0.043	13.1

### HACKSAW FRAME

· 65Mn



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
46101	12"	48	0.078	27.4

### HACKSAW FRAME



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
46103	12"	48	0.067	22.0

**HACKSAW FRAME**

· 65Mn



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
46104	12"	48	0.06	16.6

**HACKSAW FRAME**

· 65Mn



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
46105	12"	48	0.073	15.5

**HACKSAW FRAME**

· 65Mn



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
46107	12"	36	0.032	21.0

**HACKSAW FRAME**

· 65Mn

**HACKSAW FRAME**

· 65Mn



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
46108	12"	48	0.055	19.2

**HACKSAW FRAME**

· 65Mn



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
46109	12"	36	0.055	22.5



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
46111	12"	36	0.053	24.0

**BOW SAW**

· 65Mn



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
41018	18"	18	0.047	11.3
41021	21"	18	0.049	13.4
41024	24"	18	0.055	13.6
41030	30"	18	0.068	16.2

**GARDEN SCISSORS**

· 65Mn



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
44211	8"	36	0.033	18.0

**HEDGE SHEARS**

- Retractable Aluminium Handle
- With Card
- 65Mn



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
40401001	12"	20	0.130	26.9

**HEDGE SHEARS**

- NON-Retractable Aluminium Handle
- With Card
- 65Mn



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
40401002	12"	20	0.07	19.7

**GARDEN SCISSORS**

- No Retractable Metal Handle
- With Card
- 65Mn



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
40401004	630mm	24	0.093	25.4

**RECIPROCATING SAW BLADE**

- 150x19x0.92x18Tx2pcs
- steel



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
DG0101	2PCS	200	0.018	21.0

## T-SHANK TYPE JIGSAW BLADE

· Use With Jig Saw



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
47101B	4"/10TPI	400	0.024	17.5
47101BR	4"/10TPI	400	0.024	17.0
47101D	4"/10TPI	400	0.024	17.0

## RECIPROCATING SAW BLADE

wood:150x19x1.2x6Tx3pcs metal:150x19x0.92x18Tx2pcs  
wood:150x19x0.92x10Tx3pcs wood:200x19x1.2x6Tx2pcs



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
DG0102	10PCS	60	0.033	16.0

## SABRE SAW BLADE

· Use with reciprocating saw



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
47644D	6"/6TPI	200	0.018	10.0
471531L	10"/15TPI	200	0.028	16.7

## SAW BLADE

· Use with saw blade



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
47001	12"/18T	240	0.010	10.5
47002	12"/18T	1200	0.011	21.9
47005	12"/24T	1000	0.007	17.3

## HAND SPRAYER

· PP+PE



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
DH01002	2L	20	0.107	5.9
DH01405	5L	6	0.096	7.2

## PLASTIC SPRAY NOZZLE

· ADJUSTABLE  
· Big Mouth



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
48001	GS1312	36	0.105	9.6

## PLASTIC SPRAY NOZZLE

· ADJUSTABLE  
· Small Mouth



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
48002	GS1313	36	0.073	8

## PLASTIC SPRAY NOZZLE

· 1PC STRAIGHT NOZZLE  
· 1PC 1/2" QUICK CONNECTOR  
· 1PC 1/2" QUICK CONNECTOR WITH STOP  
· 1PC 3/4" FEMALE TAP ADAPTER



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
48004	4PCS	48	0.059	6.9

## SPRAY NOZZLE

· ABS



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
DZ05401	6	24	0.0435	6.50

## PLASTIC SPRAY NOZZLE

· 1PC 1/2" QUICK CONNECTOR  
· 1PC 1/2" QUICK CONNECTOR WITH STOP  
· 1PC 3/4" FEMALE TAP ADAPTER



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
48003	3PCS	48	0.052	5.0

## DRAIN CLEANER

· 65 manganese steel+PP  
· 1.3mm \* 6mm \* 5M Single weight: 0.8KG



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
DK01003	1	12	0.0784	12.6

### 14 flat tooth rake

- Steel
- Length thickness:2.5mm 3.5mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
45002	14 teeth	24	0.0417	5.77
45003	14 teeth	24	0.0417	5.87

### 12-TOOTH FLAT-TINE RAKE,

- Steel
- Length thickness:4.0mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
DB01301	12teeth	36	0.0278	5.36

### DRAIN CLEANER

- SKS
- 0.65/6500KW/r.min/1.0hp/9500rpm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
DK01001	2PCS	40	0.0315	12.5
DK01002	2PCS	10	0.0209	16.5



### MEASURE TAPE

· TPR+ABS



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
51020	3m/16mm	144	0.033	17.0
51021	5m/19mm	108	0.033	20.3
51022	5m/25mm	96	0.036	23.5
51023	7.5m/25mm	72	0.033	25.2
51112	10m/25mm	60	0.034	27.5

### FIBER GLASS TAPE

· fibreglass+ABS



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
EA02401	30m	40	0.0684	24.0
EA02402	50m	20	0.0539	28.0
EA02402	50m	20	0.0539	28.0

### LONG SEEL APMEASURE

· fibreglass+ABS



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
EA02406	30m	20	0.0981	20.0
EA02407	50m	20	0.0981	22.0
EA02408	100m	12	0.0509	21.0

### FIBREGLASS MEASURE TAPE

· fibreglass+ABS



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
EA02401	30m	40	0.0684	24.0
EA02402	50m	20	0.0539	28.0

### LONG STEEL MEASURE TAPE

with clear and durable graduation.  
High impact case. Strong belt clip.  
Ergonomics comfortable grip



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
52100	100m	12	0.056	
52130	30m	20	0.058	
52150	50m	20	0.074	

### K9 SPIRIT LEVEL

· Aluminum frame  
· With Magnetic



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
53025	250mm	84	0.020	17.0
53027	250mm	84	0.020	17.5

### K10 SPIRIT LEVEL WITH MAGNETS

· Aluminum frame  
· With Magnetic



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
53026	250mm	72	0.020	16.9

### ALUMINUM WITH MAGNETS SPIRIT LEVEL

· Aluminum frame



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
53440	400mm	50	0.023	10.6
53450	500mm	50	0.028	13.6
53460	600mm	50	0.033	16.4
53480	800mm	50	0.048	20.0

### LASER LEVEL

· Laser wavelength: 630-670nm  
· Accuracy (H/V): ± 3mm/10m  
· Automatic compensation range: 4° ± 1°  
· Protection level: IP54  
· Laser level: Class II  
· Working range: 15m  
· Beam emission angle (H/V): 130°  
· Working time: 20H  
· Battery: 4 AA



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
EF03401	250mm	72	0.020	16.9

### 16 LINE LASER LEVEL

· Wavelength: 532nm  
· horizontal and vertical accuracy: ± 1mm/7m  
· bottom to point accuracy: ± 1mm/1m  
· positive focus accuracy: ± 2mm/3m,  
· line width: 1mm/5m  
· automatic leveling  
· correction range: ± 3 degrees  
· projection angle: 110 degrees  
· working range: indoor 30-50m  
· Outdoor 10m



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
EC03801	400mm	6	0.0363	5.0

### 5 LINE LASER LEVEL

· Wavelength: 532nm  
· horizontal and vertical accuracy: ± 1mm/7m  
· bottom to point accuracy: ± 1mm/1m  
· positive focus accuracy: ± 2mm/3m  
· line width: 1mm/5m  
· automatic leveling  
· correction range: ± 3 degrees  
· projection angle: 110 degrees  
· working range: indoor 30-50m  
· Outdoor 10m



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
EC03802	600mm	4	0.0363	5.0

### ALUMINUM SQUARE

· Aluminum



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
54025	250mm	60	0.030	10.9
54030	300mm	60	0.036	11.5
54040	400mm	60	0.054	14.7
54050	500mm	60	0.071	16.9

**MECHANICAL VERNIER CALIPER**

- CARBON



**MEASURING WHEEL**

- ABS+ Aluminum Tube (Oxidation)
- Wheel diameter 318mm
- digital display area



**MECHANICAL VERNIER CALIPER**

- TPR+ABS



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
EG01815	0-150mm	40	0.021	11.0

CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
EB01007	318mm	6	0.147	12.5

CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
EG02815	0-150mm	40	0.042	9.0

**MEASURING WHEEL**

- ABS+ Aluminum Tube (Oxidation)
- Wheel diameter 318mm



**DIGITAL LASER DISTANCE METER**

- TPR+ABS



**DIGITAL MULTIMETER**

- Anti-drop bracket
- High-precision counting
- High Voltage Protection
- Back display



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
EB01010	318mm	6	0.135	11.0

CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
EF02140	40m	24	0.036	/
EF02160	60m	24	0.036	/

CODE #	MAX READING	QTY	m <sup>3</sup>	G.W.
EF0101	2000Counts	24	0.038	9.0

**DIGITAL CLAMP METER**

- Measuring capacitance: 4mF
- Current range: 0.01mA-600A
- Resistance: 40MΩ



**DIGITAL MULTIMETER**

- Anti-drop bracket
- High-precision counting
- High Voltage Protection
- Back display



**DIGITAL MULTIMETER**

- Anti-drop bracket
- High-precision counting
- High Voltage Protection
- Back display



CODE #	MAX READING	QTY	m <sup>3</sup>	G.W.
50060102	4000U	24	0.059	9.6

CODE #	MAX READING	QTY	m <sup>3</sup>	G.W.
EF0102	2000Counts	24	0.06	9.0

CODE #	MAX READING	QTY	m <sup>3</sup>	G.W.
EF0103	2000Counts	12	0.042	7.5

**PLATFORM SCALE**

- iron
- Platform scale 150Kg, 110-220V



**DIGITAL MULTIMETER**

- Maximum reading: 1999
- AC voltage: 220/750V
- DC Electric current: 220 /2000u/20m/200m/10A
- Resistance: 200/2000/20k/2000Ω



DC voltage  
200m/ 2000m  
20/200/1000V

CODE #	MAX READING	QTY	m <sup>3</sup>	G.W.
56001	1999	30	0.031	6.1

CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
EH01150	150kg	1	0.0363	7
EH01301	300kg	1	0.0531	8

CODE #	MAX READING	QTY	m <sup>3</sup>	G.W.
56001	1999	30	0.031	6.1

### MAGNETIC WELDING HOLDER

· Iron +Pp+ magnet



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
EG02003	3"	60	0.223	19.8
EG02004	4"	36	0.222	21.0

### DIGITAL MULTIMETER

· Measuring capacitance: 1mF  
 · Current range: 0.01mA-10A  
 · Resistance: 60MΩ



CODE #	MAX READING	QTY	m <sup>3</sup>	G.W.
50060101	2000UA	24	0.047	8

### KITCHEN SCALES

· 430 stainless iron



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
EH01422	30kg	8	0.140	15.5
EE03401	50kg	4	0.083	17.00
EE03401	100kg	2	0.088	16.3

### ELECTRONIC PRICE COMPUTING SCALE

· Plate: stainless iron  
 · display: LED/LCD  
 · housing: ABS



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
EH01440	40kg	5	0.086	15.0

### KITCHEN SCALES

· 430 stainless iron



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
EH01420	20kg	8	0.1153	15.5
EH01421	30kg	8	0.1254	15.5

### DIGITAL KITCHEN

· 1.2 meter European standard adapter 6V4AH lead-acid battery 460g voltage: 110-220V Plate: iron body: iron sensor: aluminum display



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
EH01401	15kg	40	0.0752	14.0



**PUTTY KNIFE**

- MADE OF STAINLESS STEEL
- THE HANDLE IS MADE OF PVC
- 50# carbon steel



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
61001	2"	240	0.028	14.3
61002	2.5"	240	0.029	15.1
61003	3"	240	0.024	16.7

**DRYWALL SCRAPER**

- MADE OF STAINLESS STEEL
- THE HANDLE IS MADE OF TPR+PVC



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
61020	8"	48	0.059	11.6
61025	10"	48	0.071	13.2
61030	12"	48	0.083	14.9

**PLASTERING TROWEL**

- 50 carbon steel
- THE HANDLE IS MADE OF ABS



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
62004	0.7×120×280mm	60	0.069	20.0

**PLASTERING TROWEL**

- 50 carbon steel
- THE HANDLE IS MADE OF ABS



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
62003	0.7×120×280mm	60	0.068	19.9

**PLASTERING TROWEL**

- 50 carbon steel
- THE HANDLE IS MADE OF ABS



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
62001	0.7×120×280mm	60	0.066	20.9

**PVC PIPE CUTTER**

- MAIN BODY IS ALUMINUM ALLOY AND MN BLADE



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
FC01001	51MM	24	0.033	11.5
FC01002	75MM	24	0.05	17.0

**PVC PIPE CUTTER**

- MAIN BODY IS ALLOY ALUMINUM AND MN BLADE
- SCOPE:3-36mm
- Material:65MM



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
63003	36mm	72	0.046	16.3

**PVC PIPE CUTTER**

- MAIN BODY IS ALLOY ALUMINUM AND MN BLADE
- SCOPE:3-42MM
- Material:65MM



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
63001	42mm	36	0.053	19.0

**PUTTY KNIFE**

- 50 CARBON STEEL
- THE HANDLE IS MADE OF TPR+PP



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
61101	40mm	120	0.025	9.9
61102	50mm	120	0.021	10.1
61103	60mm	120	0.027	10.7
61104	80mm	120	0.033	11.5
61105	100mm	120	0.033	12.4
61106	120mm	120	0.038	13.8
61107	150mm	120	0.038	15.5

**PVC PIPE CUTTER**

- MAIN BODY IS ALLOY ALUMINUM AND MN BLADE
- 65mm
- 50# FTTEL+ABS



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
63007	63mm	30	0.059	17.9

**PLASTIC WELDING MACHINE**

- RATED POWER:800W
- RATED VOLTAGE:230V-50HZ
- TEMPERATURE:0-300°C
- HEAD SIZE:20mm,25mm,32mm,40mm,50mm,63mm.
- FAST HEATING



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
63006	20-63mm	6	0.043	16.5

### TUBE CUTTER

· MAIN BODY IS ALLOY ALUMINUM  
aluminium alloy\PP\Axial steel



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
63009	3-30mm	50	0.033	11.0

### TUBE CUTTER

· MAIN BODY IS ALLOY ALUMINUM  
aluminium alloy\PP\Axial steel



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
63009	3-30mm	50	0.033	11.0

### TUBE CUTTER

· MAIN BODY IS ALLOY ALUMINUM AND MN BLADE



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
63010	4-30mm	50	0.046	14.6

### TUBE CUTTER

· TEXTURE ALUMINIUM ALLOY \WEAR-RESISTANT STEEL



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
63008	3-22mm	100	0.021	12.0

### TUBE CUTTER

· TEXTURE ALUMINIUM ALLOY \WEAR-RESISTANT STEEL



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
63011	4-32mm	36	0.047	15.0
FC01401	4-32mm	16	0.056	12.5

### ALUMINUM ALLOY HANDLE KNIFE

· MATERIAL:ALUMINIUM ALLOY+ABS  
· BLADE MATERIAL:SK5,CARBON STEEL



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
63110	4PCS	96	0.049	14.8

### ELECTRICIAN KNIFE

· HANDLE MATERIAL:WOOD  
· STAINLESS STEEL BLADE  
· BENT



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
63107	7"	120	0.041	16.5

### FOLDING UTILITY KNIFE

· MATERIAL:ALUMINUM ALLOY OR CARBON +ABS+TPR  
· BLADE MATERIAL:SK5,CARBON STEEL



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
63111	4PCS	96	0.083	17.7

### FOLDING UTILITY KNIFE

· MATERIAL:ABS  
· BLADE MATERIAL:ZINC ALLOY



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
63109	3PCS	96	0.066	12.6

### TRI-COLOR GLASS KNIFE

· SIZE:5-12mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
63105	YY-168	240	0.029	16.0

### FOLDING KNIFE

· MATERIAL:aluminium alloy+ABS+TPR  
· BLADE MATERIAL:ZINC ALLOY



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
63112	4PCS	96	0.076	15.8

### ELECTRICIAN KNIFE

· ABS+75 steel



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
FC03201	7"	192	0.0355	17.5

### TRAPEZOIDAL BLADE

- BLADE MATERIAL:60# STEEL
- POLYPROPYLENE POWDER
- NEW MATERIAL



CODE #	SPEC	QTY	m <sup>2</sup>	G.W.
63202	0.6mm	240	0.047	14.6

### LARGE UTILITY BLADE

- BLADE MATERIAL:SK5,CARBON STEEL



CODE #	SPEC	QTY	m <sup>2</sup>	G.W.
FC06402	0.7*25*126MM	100	0.0113	18.8

### SCRAPER KNIFE

- Aluminum alloy blade ABS handle



CODE #	SPEC	QTY	m <sup>2</sup>	G.W.
CA05401	300mm	60	0.0705	21.5

### STEEL FILE

- MATERIAL:STEEL T12
- TPR+PVC HANDLE
- HRC 60-64



CODE #	SPEC	QTY	m <sup>2</sup>	G.W.
64001	8"	72	0.031	16.1

### STEEL FILE

- MATERIAL:STEEL T12
- TPR+PVC HANDLE
- HRC60-64



CODE #	SPEC	QTY	m <sup>2</sup>	G.W.
64002	8"	72	0.032	16.9

### STEEL FILE

- MATERIAL:STEEL T12
- TPR+PVC HANDLE
- HRC 60-64



CODE #	SPEC	QTY	m <sup>2</sup>	G.W.
64003	8"	72	0.030	12.2

### 3PCS STEEL FILE SET

- MATERIAL:COMMON IRON
- TPR+PVC HANDLE
- HRC 60-64
- SIZE:8"



CODE #	SPEC	QTY	m <sup>2</sup>	G.W.
64006	3PCS	24	0.055	19.3

### WOOD FILE

- MATERIAL:COMMON IRON
- TPR+PVC HANDLE
- HRC 60-64



CODE #	SPEC	QTY	m <sup>2</sup>	G.W.
64009	8"	72	0.064	19.3

### 3PCS WOOD FILE

- MATERIAL:COMMON IRON
- TPR+PVC HANDLE
- HRC 60-64
- SIZE:8"



CODE #	SPEC	QTY	m <sup>2</sup>	G.W.
64010	3PCS	24	0.047	15.7

### GYPSUM BOARD PLANING

- IPS:Carbide-iron magnesium alloy
- HANDLE:TRONGLY-MOLDED PLATIC(ABS)HANDLE



CODE #	SPEC	QTY	m <sup>2</sup>	G.W.
64101	10"	30	0.079	7.3

### PRESSURE TESTING PUMP

- Iron
- Water tank volume 12 liters
- flow 45ml/ time



CODE #	SPEC	QTY	m <sup>2</sup>	G.W.
FC03401	12L/45ml	2	0.0644	15.5

### TILE CUTTER

- CUTS UP TO 12mmTHICK
- DIA OF CHROMED ROD:16mm
- THICKNESS OF THE STEEL BASE:1.8mm
- SIMPLE AND CONVENIENT REPLACEMENT OF THE SCORING WHEEL
- PENCIL SCORING WHEEL:10mm



CODE #	SPEC	QTY	m <sup>2</sup>	G.W.
64160	600mm	4	0.079	19.2

### TILE CUTTER

- 1.8MM THICKNESS STEEL BASE
- LINEAR BEARING SLIDING PART
- PP HANDLE
- TUNGSTEN CUTTING WHEEL
- CUTS:4-14mm
- DIA OF CHROMED ROD:19MM
- BLADE:YG6X,16\*6\*3MM



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
64190	900mm	2	0.138	19.8

### AVIATION SNIP

- HANDLE:TPR+PVC
- HEAD: 60CRV



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
65001	10"	48	0.045	21

### AVIATION SNIP

- HANDLE:TPR+PVC



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
65002	10"	48	0.043	21.0

### AVIATION SNIP

- HANDLE:TPR+PVC
- 60CRV



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
65003	10"	48	0.044	21.0

### AVIATION SNIP

- HANDLE:TPR+PVC
- 60CRV



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
65004	10"	48	0.058	21.2

### AVIATION SNIP

- HANDLE:TPR+PVC
- 60CRV



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
65005	10"	48	0.054	21.2

### AVIATION SNIP

- HANDLE:TPR+PVC
- 60CRV



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
65006	10"	48	0.056	21.2

### SCISSOR

- 3CR13 STAINLESS STEEL



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
67001	6"	144	0.062	12.6

### WOOL SCISSORS

- 55# CAEBON STEEL



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
66112	12"	48	0.020	14.8
66113	13"	48	0.043	20.1

### MULTI-FUNCTION SCISSORS

- 65mm
- MULTIFUNCTION



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
67004	9"	72	0.037	19.0

### GERMAN TYPE TIN SNIPS

- 55# CARBON STEEL



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
66210	10"	36	0.025	17.0
66212	12"	36	0.038	26.3

### WIRE STRIPPER

- CABLE SIZE:0.6-0.8-1.0-1.3-1.6-2.0-2.6
- THANDLE:TPR HANDLE



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
67002	6.5"	120	0.041	18.3

**CRIMPING TOOLS**

- ALLOY STEEL
- PP+TPR HANDLE



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
FG02001	180MM	36	0.046	16

**INDUCTION PENCIL**

- MEASURING RANGE:50-1000V
- HANDLE:PLASTIC HANDLE
- WITH BATTERG



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
68120	158mm	96	0.041	7.0

**INSULATED SCREWDRIVER**

- CRV STEEL
- TPR HANDLE
- 45# STEEL



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
68804	4×100mm	120	0.023	8.7
68806	6×150mm	120	0.037	13.5

**SCREWDRIVER**

- 4" ×5mm(+)
- 5" ×6mm(+)
- 6" ×6mm(+)
- 4" ×5mm(-)
- 5" ×6mm(-)
- 6" ×6mm(-)



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
68601	6pcs	24	0.049	16.3



## HYDRAULIC JACK

· Rising range:130-300mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
GA11420	20T	1	0.0117	/
GA11430	30T	1	0.026	/

## MULTI-FUNCTION JUMP STARTER

· Output jump starter:12v  
 · USB output:5V/2A  
 · Charge mode:13.5/1A  
 · Type-c:5V/2A  
 · Battery capacity: · 12000mAh



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
70060101	12000mAh/600A	10	0.039	12.0

## WELDING ROD

· carbon steel covered electrode



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
ART:GJ01425	2.5mm*300mm	4	0.0073	21.0
ART:GJ01432	3.2mm*350mm	4	0.0071	21.0
ART:GJ01440	4.0mm*400mm	4	0.0071	21.0

## OIL FILTER WRENCH

· Carbon Steel  
 · Scope of use:50-120mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
76005	50-120mm	60	0.057	18.1

## TYRE PRESSURE GUN

· WITHOUT OIL



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
76001	16kg	36	0.0953	17.15

## CABLE CLIP

· Size:6-26mm  
 · packing:bag



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
78006	6mm	300x100PCS	0.057	16.6
78007	7mm	240x100PCS	0.046	18.8
78008	8mm	210x100PCS	0.057	16.8
78009	9mm	250x100PCS	0.040	18.5
78010	10mm	200x100PCS	0.045	20.6
78012	12mm	120x100PCS	0.047	19.4
78014	14mm	100x100PCS	0.046	19.2
78016	16mm	100x50PCS	0.043	12.7
78018	18mm	100x50PCS	0.043	15.7
78020	20mm	80x50PCS	0.043	15.8
78022	22mm	72x50PCS	0.044	15.7
78025	25mm	80x30PCS	0.043	16.0



**MULTI-PURPOSE LADDER**

· Aluminum material

**MOVE THE ADJUSTMENT FRAME**

· HEIGHT ADJUSTABLE



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
85160	33X40cm	12	0.105	24.4
85170	40X50cm	10	0.125	22.1



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
CZ10501	3-STEP LADDER	1	0.1045	10.9
CZ10502	4-STEP LADDER	1	0.1327	12.3
CZ10503	3-STEP LADDER	1	0.162	13.7

**ELECTRICIAN KNIFE**

- HANDLE MATERIAL:WOOD
- STAINLESS STEEL BLADE
- STRAIGHT



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
63106	7"	120	0.041	16.6

**UTILITY KNIFE**

· Steel + PP



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
FC01225	25mm	144	0.086	\

**UTILITY KNIFE**

- MATERIAL:ALUMINUM ALLOY OR CARBON +ABS+TPR
- BLADE MATERIAL:SK5,CARBON STEEL



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
AG31401	16CM /0.55*13mm	160	0.0532	12.0

**SMALL ART BLADE**

· BLADE MATERIAL:SK5,CARBON STEEL



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
FC06401	0.4*9*73MM	100	0.0113	18.8



### SAFETY GOGGLES

· texture: PC



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
ID04504	TRANSPARENT	96	0.0444	/

### WELDER'S GLOVE

· Natural Latex 70%  
· Polyester:30%



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
91005	14"	72	0.075	23.00

### TOOL BOX

· IRON



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
97001	21"	4	0.110	16.1

### FLARING TOOL

· MAIN BODY IS DUCTILE IRON(45# STEEL)  
· 5-18MM(3/16-5/8)



CODE #	SPEC	QTY	m <sup>2</sup>	G.W.
63012	5-18mm	20	0.022	18.9

### 5PCS UTILITY KNIFE SET

· MATERIAL:CARBON STEEL  
· BLADE MATERIAL:SK5,CARBON STEEL



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
63103	5PCS	144	0.059	21.5

### TUBE BENDER

· MAIN BODY IS ALLOY ALUMINUM AND A3 STEEL  
· SIZE:6-8-10MM,1/4-5/16-3/8



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
63013	3 use	20	0.037	10.8

### UTILITY KNIFE

· MATERIAL:ABS+STAINLESS STEEL  
· BLADE MATERIAL:SK5,CARBON STEEL



CODE #	SPEC	QTY	m <sup>2</sup>	G.W.
63101	0.5mm	200	0.065	21.0

### FOLDABLE KNIFE

· MATERIAL:ZINC ALLOY/ABS/CARBON STEEL  
· BLADE MATERIAL:SK5,CARBON STEEL



CODE #	SPEC	QTY	m <sup>2</sup>	G.W.
63104	19mm	144	0.064	15.7



## BRUSHLESS HAND SAW



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
JE04101	18V	4	/	/

## CORDLESS LED WORK LIGHT

- Nominal Voltage:100-240Vac
- Variation Range:90-264Vac



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
JE05001	12V/1500Mah	12	0.015	5.80

## ANGLE GRINDER

- Rated Voltage:220-240V
- Rated Frequency:50-60Hz
- No load speed:900w



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
JB02403	110mm/900W	10	0.0398	16.7

## HEDGE TRIMMER

- 0.65/6500KW/r.min/1.0hp/9500rpm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
DE01301	1PCS	1	0.0737	9.0

## CLEAN WATER PUMP

- Power Source:220Volt 50-60Hz
- Total Head: Max.30m(550W)/50m(1100W)
- Capacity:Max.92L/min
- Suction Life: Max.9m



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
104014	370W/0.75HP	1	0.017	11.3
104015	370W/1.5HP	1	0.019	13.1

## HIGH PRESSURE WASHER

- Max.Pressure:154bar
- Max.Pressure:150Bar/2200PSI
- Rated Flow:7.5L/min
- Horse Power:2.0GPM/5.5HP
- Revolution:3400rpm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
106006	5.5HP	1	0.195	30.4

## GASOLINE GENERATOR

- AC:Voltage: 220V/50HZ
- Rated Output:2000W/2800w
- Max.output:2200W/3000w
- DC: Voltage: 12V
- Phase: 1 f
- Current : 8.3A



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
108220	2000W	1	0.128	42.4
108230	3000W	1	0.129	43.0

## WELDING MACHINE MMA

- Type:MMA-400/MMA-500 · Rated voltage:230V
- Rated frequency:50Hz · Current:315A@60%/400A@60%
- Current adjustment:10-400A/10-500A
- Usable electrode:1.0-4.0mm/1.0-5.0mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
103440	400A	1	0.087	20.6
103450	500A	1	0.154	28.3

## ELECTRIC WELDING PLIERS

- Current capacity:300/500/800A
- Cable specification:10-16/25-35/35-50mm
- Electrode specification:2.0-3.2/2.5-4.0/4.0-6.3mm
- Load persistence rate:35%



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
91330	300A	48	0.031	15.7
91350	500A	36	0.035	17.4
91380	800A	36	0.049	20.0

## AIR COMPRESSOR

- Motor Speed:2860 r/min
- Exhaust Volume:0.17m
- Greatest Pressure: 0.8Mpa



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
108050	50L/2400W	1	0.125	30.5

## AIR COMPRESSOR

- Gas storage tank diameter 350mm
- length 755mm
- steel plate thickness 2.5mm
- Voltage: 220v/50Hz power: 1.8kw
- pressure:8bar
- speed:rpm
- displacement:320L/min
- Bore stroke: 2 \* 65 \* 46mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
108055	100L/1800W	1	0.423	67.7

## AIR COMPRESSOR

- SIZE:180W · VOLTAGE:DC12V-13.8V
- Max Pressur:150PSI
- Rated Currnt:15A
- Air Flow:40LPM



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
108004	180W	6	0.075	18.2

### HANDLE MIXER

- Voltage:230V
- Frequency:50-60HZ
- Rotating speed:0-800 r/min



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
101120	1200W	2	0.042	10.6

### WINDOW WALL EXHAUST FAN DOUBLE MOTOR

- 6寸/230-240V/50HZ
- Double bearing, all copper motor with a right angle shell
- Power: 26W
- speed: 1250r/min



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
101206	6"	4	0.044	5.3
101208	8"	4	0.069	6.8
101210	10"	4	0.090	7.9
101212	12"	4	0.126	9.35



**FIBERBOARD NAIL WITH BOX**

· Packing:box



CODE#	SPEC	QTY	m'	G.W.
111001	3X16mm	24x1000PCS	0.010	12.5
111002	3X20mm	24x1000PCS	0.010	19.0
111003	3.5X16mm	24x1000PCS	0.016	18.6
111004	3.5X20mm	24x1000PCS	0.016	22.8
111005	3.5X30mm	24x500PCS	0.016	16.0
111006	4X16mm	24x500PCS	0.01	12.5
111007	4X20mm	24x500PCS	0.011	15.0
111008	4X25mm	24x500PCS	0.016	17.2
111009	4X30mm	24x500PCS	0.016	16.0
111010	4X35mm	24x500PCS	0.020	17.7
111011	4X40mm	24x300PCS	0.016	14.8
111012	4X45mm	24x300PCS	0.020	17.0
111013	4X50mm	24x300PCS	0.020	18.4
111014	4X60mm	24x300PCS	0.020	22.0
111015	4X70mm	24x300PCS	0.020	25.9
111016	5X30mm	24x300PCS	0.016	19.0
111017	5X35mm	24x300PCS	0.016	21.2
111018	5X40mm	24x200PCS	0.016	16.7
111019	5X45mm	24x200PCS	0.020	17.9
111020	5X50mm	24x200PCS	0.020	19.6
111021	5X60mm	24x200PCS	0.026	22.5
111022	5X70mm	24x200PCS	0.026	16.4
111023	5X80mm	24x150PCS	0.020	23.0
111024	6X40mm	24x150PCS	0.016	18.8
111025	6X50mm	24x150PCS	0.020	22.8
111026	6X60mm	24x100PCS	0.020	18.2
111027	6X70mm	24x100PCS	0.020	20.7
111028	6X80mm	24x100PCS	0.020	23.5
111030	6X100mm	24x100PCS	0.020	28.2
111031	3X25mm	24x1000PCS	0.016	19.5
111032	3.5X25mm	24x500PCS	0.016	14.1
111033	5x100mm	24x100PCS	0.016	19.1

**LANTERN HOOK**

· LANTERN HOOK: Standard round, more sturdy touse, easy to install, and easy to screw



CODE#	SPEC	QTY	m'	G.W.
114206	6mm	45x100PCS	0.016	18.6
114208	8mm	30x100PCS	0.016	12.1
114210	10mm	16X100PCS	0.016	11.0
114212	12mm	30x50PCS	0.016	13.6
114214	14mm	30x50PCS	0.016	17.0

**Screw eyes hook**

· SCREW EYES HOOK: Each tail is sharp and sharp, ready to go through without effort



CODE#	SPEC	QTY	m'	G.W.
114106	6mm	45x100PCS	0.016	14.4
114108	8mm	30x100PCS	0.016	13.5
114110	10mm	16x100PCS	0.016	12.9
114112	12mm	30x50PCS	0.016	15.4
114114	14mm	16x50PCS	0.016	10.5

**ALUMINIUM RIVET**

· Aluminum  
· Packing:box



CODE#	SPEC	QTY	m'	G.W.
112212	5X12X14mm	20x350PCS	0.025	20.8
112216	5X16X14mm	20x350PCS	0.025	22.8
112220	5X20X14mm	20x250PCS	0.026	17.9
112225	5X25X14mm	20x150PCS	0.024	12.2
112312	3.8X12X9mm	20x500PCS	0.025	17.2
112316	3.8X16X9mm	20x500PCS	0.024	19.0
112320	3.8X20X9mm	20x500PCS	0.024	19.2
112325	3.8X25X9mm	20x500PCS	0.024	19.5
112420	4.8X20X9mm	10x500PCS	0.019	15.8
112425	4.8X25X9mm	10x500PCS	0.019	17.5

**ALUMINIUM RIVET**

· Aluminum  
· Packing:bag



CODE#	SPEC	QTY	m'	G.W.
112608	3.2X8mm	120x100PCS	0.018	11.6
112610	3.2X10mm	100x100PCS	0.018	10.5
112612	3.2X12mm	100x100PCS	0.019	11.3
112616	3.2X16mm	80x100PCS	0.018	10.1
112664	3.2X6.4mm	140x100PCS	0.018	12.3
112708	4X8mm	80x100PCS	0.019	11.9
112710	4X10mm	80x100PCS	0.019	12.7
112712	4X12mm	120x50PCS	0.018	10.5
112716	4X16mm	100x50PCS	0.018	9.8
112764	4X6.4mm	100x100PCS	0.019	13.8
112808	4.8X8mm	100x50PCS	0.018	11.6
112810	4.8X10mm	100x50PCS	0.019	12.2
112812	4.8X12mm	96x50PCS	0.019	12.5
112816	4.8X16mm	80x50PCS	0.019	11.8
112864	4.8X6.4mm	120x50PCS	0.018	12.9

**STAPLE**

· 5000PCS/BOX



CODE#	SPEC	QTY	m'	G.W.
NA40201	8mm	10x1000PCS	0.009	12.30
NA40202	10mm	10x1000PCS	0.0116	14.0
NA40203	12mm	10x1000PCS	0.0121	15.70

**HAND RIVETER**

· Handle material:rubber  
· Noze plecer size:2.4, 3.2, 4.0, 4.8mm



CODE#	SPEC	QTY	m'	G.W.
112001	10"	30	0.061	18.8

**HAND RIVETER**

· Handle material:rubber  
· Noze plecer size:2.4, 3.2, 4.0, 4.8mm



CODE#	SPEC	QTY	m'	G.W.
112104	10.5"	24	0.043	15.2

### HAND RIVETER

- Size:18" /450mm
- Anti-skid handle,Extensible chip rivet
- Range of application:3.2mm,4.0mm,4.8mm rivet



CODE#	SPEC	QTY	m'	G.W.
112005	18"	20	0.054	17.6

### HAND RIVETER

- Handle material:rubber
- Noze piecer size:2.4, 3.2, 4.0, 4.8mm



CODE#	SPEC	QTY	m'	G.W.
112105	10"	36	0.046	21.0

### HEAVY DUTY 3-in-1

- All metal construction



CODE#	SPEC	QTY	m'	G.W.
113001	3 in 1	24	0.032	17.0

### HAND RIVETER



CODE#	SPEC	QTY	m'	G.W.
KB01109	9"/220mm	\	\	\

### HAND RIVETER

- 11"/280mm



CODE#	SPEC	QTY	m'	G.W.
KB01111	11"/280mm	20	0.0528	24.00

### NAIL GUN

- aluminium alloy



CODE#	SPEC	QTY	m'	G.W.
KC02401	13G/18-64mm	6	0.0657	20.6



### AIR SPRAY GUN

Type of Feed: Gravity  
 Standard Nozzle: 1.5mm  
 Operating Pressure: 3.0-4.0bar  
 Pattern Width: 180-250mm  
 Air Consumption: 3.5-6.0cfm  
 Paint Capacity: 400cc  
 Easy to using indoor and outdoor.  
 It is four generation spray gun which is better than others not only in appearance but also spray quality and inner structure.  
 It is suitable for water based paint



CODE#	SPEC	QTY	m'	G.W.
121005	400ml	20	0.065	13.8

### SPRAY GUN

- Nozzle size: 1.5mm
- AIR PRESSURE: 50psi 3.5Kg/cm<sup>2</sup>
- Air consumption: 8.0CFM
- Fluid(Water): 160-230ml/min



CODE#	SPEC	QTY	m'	G.W.
121003	600ml	20	0.090	12.9

### AIR SPRAY GUN

Paint capacity: 600cc  
 Nozzle size: 1.4mm  
 Operating pressure: 2.0-3.5bar  
 Pattern width: 180-250mm  
 Air consumption: 4.2-7.1cfm  
 Easy to using indoor and outdoor.  
 It is four generation spray gun which is better than others not only in appearance but also spray quality and inner structure.  
 It is suitable for water based paint



CODE#	SPEC	QTY	m'	G.W.
121006	600ml	10	0.051	10.4

### SPRAYER

· Plastic PP



CODE#	SPEC	QTY	m'	G.W.
LH02416	16L	1	0.036	2.5

### FLAMETHROWER

- Use with special tools
- It is suitable for welding of metal materials, heating treatment of mechanical parts (fire), foundry industry (clay core baking), repairing roofs (melting asphalt), repairing wooden boats (drying), meat processing (hair removal), repairing communication cables.
- Old lacquer shovel melting, jewelry processing, wood products baking, granite surface smoothing treatment, winter car start heating, etc.



CODE#	SPEC	QTY	m'	G.W.
122004	350X60mm	10	0.047	8.8
122005	900X60mm	10	0.062	9.8

### FLAMETHROWER

· Use with special tools



CODE#	SPEC	QTY	m'	G.W.
122002	3PCS	12	0.073	14.0

### FLAMETHROWER

- Use with special tools
- It is suitable for welding of metal materials, heating treatment of mechanical parts (fire), foundry industry (clay core baking), repairing roofs (melting asphalt), repairing wooden boats (drying), meat processing (hair removal), repairing communication cables.
- Old lacquer shovel melting, jewelry processing, wood products baking, granite surface smoothing treatment, winter car start heating, etc.



CODE#	SPEC	QTY	m'	G.W.
122006	900X60mm	12	0.058	9.3
122007	600X50mm	12	0.029	6.8

### SOLENOID SPRAY GUN

Voltage: 220-240V  
 Rated Power input: 110W  
 Container capacity: 800ml  
 Max. Viscosity: 60din/sec  
 Frequency: 50Hz  
 Cable length: 2.0m  
 Nozzle: Φ0.8mm  
 Max. Flow: 300ml/min



CODE#	SPEC	QTY	m'	G.W.
121101	110W	5	0.046	9.8

### SOLENOID SPRAY GUN

Voltage: 220-240V  
 Frequency: 50-60Hz  
 Paint Reservoir: 700ml  
 Nozzle: Φ1.8/2.6mm  
 Max. Flow: 800ml/min  
 Max. Viscosity: 60din/sec



CODE#	SPEC	QTY	m'	G.W.
121104	350W	6	0.053	9.95

### 5PCS AIR TOOLS KITS

- Air Blow Gun
- High Pressure Long Size Nozzle
- High Pressure Short Size Nozzle
- 1/4" Female Quick Nipple
- Air Hose Coupler



CODE#	SPEC	QTY	m'	G.W.
121011	5PCS	50	0.061	13.8

### SPRAYER

· Plastic PP



CODE#	SPEC	QTY	m'	G.W.
LH02416	16L	1	0.036	2.5

### FLAMETHROWER

- Use with special tools
- It is suitable for welding of metal materials, heating treatment of mechanical parts (fire), foundry industry (clay core baking), repairing roofs (melting asphalt), repairing wooden boats (drying), meat processing (hair removal), repairing communication cables.
- Old lacquer shovel melting, jewelry processing, wood products baking, granite surface smoothing treatment, winter car start heating, etc.



CODE#	SPEC	QTY	m'	G.W.
122004	350X60mm	10	0.047	8.8
122005	900X60mm	10	0.062	9.8

## FLAMETHROWER

· Use with special tools



CODE#	SPEC	QTY	m'	G.W.
122002	3PCS	12	0.073	14.0

## FLAMETHROWER

· Use with special tools  
It is suitable for welding of metal materials, heating treatment of mechanical parts (fire), foundry industry (clay core baking), repairing roofs (melting asphalt), repairing wooden boats (drying); meat processing (hair removal), repairing communication cables, Old lacquer shovel melting, jewelry processing, wood products baking, granite surface smoothing treatment, winter car start heating, etc.



CODE#	SPEC	QTY	m'	G.W.
122006	900X60mm	12	0.058	9.3
122007	600X50mm	12	0.029	6.8

## FOAM GUN

· Length:320mm  
· Aperture:2.0mm



CODE#	SPEC	QTY	m'	G.W.
ART:LA03401	320MM	40	0.051	12.5

## PE FUNNEL

· 130mm-350mm



CODE#	SPEC	QTY	m'	G.W.
ART:LC01001	130mm-350mm	50	/	4.0

## AIR SPRAY GUN KITS

· Spray Gun  
· Blow Gun  
· 5m Air Hose  
· Inflating Gun  
· Washing Gun



CODE#	SPEC	QTY	m'	G.W.
ART:121009A	5PCS	10	0.133	22.7

## HOT AIR GUN



Rated voltage:220V-240V  
Rated frequency:50Hz  
Operating temperature: 400-500°C  
Air flow: 250L/min  
Rated input power: 2000W

CODE#	SPEC	QTY	m'	G.W.
ART:LA01403	2000W	10	0.038	10.2

## PAINT STIRRER

· Hand blender



CODE#	SPEC	QTY	m'	G.W.
126001	2L	12	0.154	19.3

## AIR OPERATED GREASE PUMP

· Air pressure:0.6-0.8MPa  
· Transmission pressure:30-10MPa  
· Grease output:0.85L/Min  
· Pressure ratio:50:1  
· Barrel Capacity:30L/45L



CODE#	SPEC	QTY	m'	G.W.
123130	30L	1	0.153	16.5
123145	45L	1	0.172	17.9

## DC OIL PUMP

Rated Voltage: 12/24V  
Rated Torque: 240W  
No-Load Speed: 4600 r/min  
Speed Range: 3300 r/min  
Q max:35-40L H max:10m  
Suct. Lmax:3m



CODE#	SPEC	QTY	m'	G.W.
LC02412	12V	6	0.078	22.0
LC02424	24V	6	0.078	22.0

## HAND GREASE PUMP

· Portable manual grease pump  
· Barrel covered with corrosion resistant powder coating.



CODE#	SPEC	QTY	m'	G.W.
123004	4L	2	0.036	8.4
123008	8L	2	0.048	10.0
123012	12L	2	0.070	12.1
123016	16L	2	0.080	13.1
123020	20L	2	0.078	14.4

## GREASE GUN

· One-shaft 600ml



CODE#	SPEC	QTY	m'	G.W.
124001	600CC	10	0.046	16.1

## GLUE GUN

· Power Source 110-240V/50Hz



CODE#	SPEC	QTY	m'	G.W.
124020	25W	48	0.096	12.2

**GLUE GUN**


· Power Source 110-240V/50Hz



CODE#	SPEC	QTY	m'	G.W.
124060	60W	24	0.085	11.0

**CAULKING GUN**

· Rivet connection



CODE#	SPEC	QTY	m'	G.W.
125002	9"	24	0.033	12.3

**GLUE GUN**

· Power Source 110-240V/50Hz



CODE#	SPEC	QTY	m'	G.W.
124100	100W	24	0.088	11.2

**CAULKING GUN**

· Rivet connection



CODE#	SPEC	QTY	m'	G.W.
125003	9"	24	0.058	19.9

**SUPER GLUE**

502 glue is used for bonding porous and absorbent materials used for steel, non-ferrous metals, rubber, leather, plastics, ceramics, wood, non-metallic ceramics, glass and flexible materials like rubber products, leather shoes, soft and hard plastics, etc. Bonding to itself or to each other.



CODE#	SPEC	QTY	m'	G.W.
127101	3G	24	0.019	3.4

**PAINT BRUSH**

· The handle is made of wood



CODE#	SPEC	QTY	m'	G.W.
126210	1"	360	0.041	11.7
126215	1.5"	360	0.063	17.0
126220	2"	240	0.058	15.8
126225	2.5"	180	0.059	16.0
126230	3"	120	0.051	14.5

**CEILING BRUSH**

· The handle is made of PVC



CODE#	SPEC	QTY	m'	G.W.
LF01310	3X10	96	0.055	10.6

**PAINT BRUSH**

· The handle is made of PVC



CODE#	SPEC	QTY	m'	G.W.
126310	1"	360	0.033	10.8
126315	1.5"	360	0.050	14.9
126320	2"	240	0.051	14.5
126325	2.5"	180	0.051	13.1
126330	3"	120	0.042	11.1

**CEILING BRUSH**

· The handle is made of PVC



CODE#	SPEC	QTY	m'	G.W.
LF01414	4X14	72	0.080	12.0

**PAINT MIXER**

· Rod diameter: 9.5mm  
 · length: 600MM  
 · head diameter: 120mm  
 · stirring weight: 60L/20-25KG



CODE#	SPEC	QTY	m'	G.W.
LF01101	120X600mm/9.5mm	24	0.0767	18.6

**PAINT MIXER**

· Use with agitator



CODE#	SPEC	QTY	m'	G.W.
126640	60X400mm	40	0.050	14.5
126650	60X500mm	40	0.059	17.0
126840	80X400mm	40	0.065	16.0
126850	80X500mm	40	0.076	19.0

### HSS TWIST DRILL BITS SET

· Use with electric drill



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
135001	6PCS	80	0.027	16.0

### HSS TWIST DRILL BITS SET

· Use with electric drill



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
135002	8PCS	48	0.027	14.3

### 6PCS FLAT WOOD BITS SET

· Use with drilling tools



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
136206	6PCS	40	0.022	13.0

### STEPPED DRILL

· Use with drilling tools



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
136005	3PCS	48	0.030	13.2

### POINT CHISEL

· Use with electric pick



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
137201	30x400mm	20	0.012	29.4

### FLAT DRILL BIT

· Use with electric pick



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
137202	30x400mm	20	0.012	31.9

### POINT CHISEL

· Use with electric pick



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
137205	17x280mm	50	0.010	21.6

### FLAT DRILL BIT

· Use with electric pick



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
137206	17x280mm	50	0.010	21.6

### POINT CHISEL

· Use with electric pick



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
137211	14x250mm	96	0.017	22.8
137213	14x350mm	48	0.012	17.3
137230	14x300mm	48	0.006	14.0

### FLAT DRILL BIT

· Use with electric pick



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
137212	14x250mm	96	0.015	24.1
137214	14x350mm	48	0.012	18.1
137231	14x300mm	48	0.006	14.5

### HOLE CORE BIT

· Use with drilling tools



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
136650	50mm	36	0.017	21.5
136665	65mm	24	0.018	18.2
136680	80mm	15	0.016	14.0
1366100	100mm	12	0.015	14.4
1366110	110mm	12	0.018	16.0

### GLASS DRILL BIT

· SIZE: Ø4/5/6/8/10mm  
· Alloy cutter head



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
MF01104	4mm	300	0.0271	8.0
MF01105	5mm	300	0.0271	8.0
MF01106	6mm	300	0.0271	9.0
MF01108	8mm	300	0.0271	10.0
MF011010	10mm	300	0.0271	12.0

### DIAMOND HOLE SAW BIT

· Use with drilling tools

Uniform arrangement of diamond cutting components can make sure the intact of the drill hole without gap and breakage. Centering drilling bit eliminates the deviation in the process of operation of the tool. Diamond stone material: synthetic diamond, P60 particle. It is used in drilling the ceramic plate and ceramic tile under the condition of forced water cooling.



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
136506	6mm/5pcs	320	0.026	9.6
136508	8mm/2PCS	400	0.026	8.8
136510	10mm/2PCS	320	0.026	8.0
136512	12mm/2PCS	280	0.026	8.0
136514	14mm/2PCS	240	0.026	9.6
136516	16mm/2PCS	200	0.026	9.2
136518	18mm	200	0.026	7.1
136520	20mm	200	0.024	7.2
136522	22mm	200	0.026	7.5
136525	25mm	144	0.026	7.1
136528	28mm	96	0.026	5.8
136530	30mm	96	0.026	6.7
136532	32mm	80	0.024	6.2
136535	35mm	80	0.026	6.5
136538	38mm	64	0.024	5.6
136540	40mm	64	0.025	5.7
136545	45mm	64	0.026	6.6
136550	50mm	48	0.025	5.8
136555	55mm	40	0.055	6.6
136560	60mm	40	0.056	7.9
136565	65mm	40	0.050	7.8
136570	70mm	40	0.050	7.2
136575	75mm	60	0.072	19.2
136580	80mm	60	0.072	21.5
136585	85mm	20	0.036	12.0
136590	90mm	20	0.036	13.2
136595	95mm	20	0.036	13.8

### HOLE SAWS SET

· 19/22/29/32/38/44/51/64/76/89/102/127mm



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
136016	16PCS	20	0.035	22.3

### HOLE SAW ARBOR

· Use with electric drill



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
136110	14-29mm	72	0.026	7.1
136111	30-152mm	36	0.021	9.0

### BI-METAL HOLE SAW

· Use with drilling tools



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
136119	19mm	100	0.021	4.8
136122	22mm	100	0.021	6.0
136125	25mm	100	0.021	7.3
136129	29mm	100	0.021	9.3
136135	35mm	100	0.021	10.9
136138	38mm	100	0.026	9.1
136144	44mm	100	0.026	11.0
136151	51mm	100	0.037	14.3
136164	64mm	50	0.030	10.8
136176	76mm	50	0.040	13.5
136183	83mm	50	0.041	16.7
136192	92mm	20	0.028	16.7
1361102	102mm	20	0.026	9.4

### 6PCS SCREW EXTRACTOR

· 3-6/6-8/8-11/11-14/14-18/18-22MM



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
13060102	6PCS	60	0.018	12.0

### DRILL CHUCK

· 13mm drill chuck (chuck + key) 2PC double bubble



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
JA02113	13mm/2PCS	48	0.038	16.36
JA02133	13mm/3PCS	36	0.0334	14.0

### 3PCS LOCK INSTALLATION HOLE SAW SET

- 45# carbon steel
- Pilot Drill : 9.5X6mm
- Flat Wood Bit : 22mm
- HOLE SAW : 54mm



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
MF02003	3PCS	40	0.0493	8.4

### GLASS DRILL BIT


- SIZE: Ø4/5/6/8/10mm
- Alloy cutter head



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
MF01104	4mm	300	0.0271	8.0
MF01105	5mm	300	0.0271	8.0
MF01106	6mm	300	0.0271	9.0
MF01108	8mm	300	0.0271	10.0
MF011010	10mm	300	0.0271	12.0

### HOLE SAW-WOOD

· Use with drilling tools



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
136315	7X8X15mm	200	0.065	10.7
136320	7X9X20mm	200	0.065	12.5
136325	8X10X25mm	200	0.065	15.2
136326	8X10X26mm	200	0.065	14.9
136328	10X12X28mm	200	0.065	19.3
136330	10X12X30mm	200	0.065	19.9
136332	10X12X32mm	200	0.065	20.9
136335	10X12X35mm	200	0.065	22.0
136340	10X12X40mm	200	0.065	23.9
136342	10X12X42mm	200	0.065	24.9
136345	10X12X45mm	100	0.065	14.5
136350	10X12X50mm	100	0.065	17.2
136354	10X12X54mm	100	0.065	18.1
136360	10X12X60mm	100	0.065	20.5

## KNIFE BRUSH

· hand operated tools



CODE#	SPEC	QTY	m <sup>2</sup>	G.W.
138001	118-120G	120	0.105	18.9

## CRIMPED WIRE CUP BRUSH

· Use with sander



CODE#	SPEC	QTY	m <sup>2</sup>	G.W.
138003	75mm	60	0.082	15.0
138004	100mm	40	0.055	17.4
138005	125mm	24	0.108	19.0

## CRIMPED WIRE CUP BRUSH

· Use with sander

It is suitable for grinding, rust removal, degreasing, burr, polishing, etc. of metal and non-metal surfaces.



CODE#	SPEC	QTY	m <sup>2</sup>	G.W.
138103	75mm	60	0.080	19.2
138104	100mm	40	0.055	20.5
138105	125mm	24	0.081	19.8

## STEEL WIRE BRUSH SET

· Use with sander



CODE#	SPEC	QTY	m <sup>2</sup>	G.W.
138030	3PCS	72	0.081	15.2

## STEEL WIRE BRUSH

· Use with sander



CODE#	SPEC	QTY	m <sup>2</sup>	G.W.
138025	25X0.3X6mm	144	0.053	10.7

## STEEL WIRE BRUSH

· Use with sander



CODE#	SPEC	QTY	m <sup>2</sup>	G.W.
138070	75X0.3X6mm	90	0.079	14.9

## CRIMPED WIRE CUP BRUSH

· 100mm twisted silk bowl, ST0.5, M14 \* 2, orange outer bowl 2013C, weight 460g



CODE#	SPEC	QTY	m <sup>2</sup>	G.W.
138103A	75mm	60	0.080	19.2
138104A	100mm	40	0.055	20.5
138105A	125mm	24	0.081	19.8

## STEEL WIRE BRUSH

· Use with sander



CODE#	SPEC	QTY	m <sup>2</sup>	G.W.
138075	75X0.3X6mm	144	0.079	14.7

## 8PCS METRIC DIE SET ALLOY STEEL

· M3 M4 M5 M6 M8 M10 M12 M3-12



CODE#	SPEC	QTY	m <sup>2</sup>	G.W.
MG02118	8PCS	48	0.0386	17.0

## GRINDING DISC

· Use with angle grinder/cutting tools



CODE#	SPEC	QTY	m <sup>2</sup>	G.W.
131001	115mm x3x22.2mm	200	0.015	14.9
131002	230mm x3x22.2mm	50	0.017	14.7
131009	180mm x3x22.2mm	100	0.017	18.5

## DIAMOND GRINDING WHEEL

· Use with angle grinder/cutting tools



CODE#	SPEC	QTY	m <sup>2</sup>	G.W.
132404	100mmx20x5x22.23mm	20	0.010	7.0
132405	115mmx20x5x22.23mm	20	0.011	8.7

## DIAMOND DISC

· Use with angle grinder/cutting tools



CODE#	SPEC	QTY	m <sup>2</sup>	G.W.
132511	115mmx1.2/1.9x7x22.23mm	100	0.019	12.5
132518	180mmx1.6/2.2x7x22.23mm	40	0.019	15.0
132523	230mmx1.8/2.5x7x22.23mm	20	0.016	13.2

**FLAP DISC**

· Use with angle grinder/cutting tools



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
138520	120A/115x22.23	200	0.025	13.0
138540	40A/115x22.23	200	0.034	15.0
138560	60A/115x22.23	200	0.031	14.5
138580	80A/115x22.23	200	0.029	13.8

**CIRCULAR SAW BLADE**

· Use with angle grinder/cutting tools



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
133111	115mmx1.2x2.0x2.23x24T	100	0.019	11.2
133118	180mmx1.4x2.2x25.4x40T	48	0.019	15.1
133125	255mmx1.8x2.8x25.4x60T	24	0.020	19.3



## BRASS PADLOCK

· Material: Copper



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
151040	40mm	120	0.048	23.7
151050	50mm	72	0.037	22.8
151060	60mm	36	0.022	17.0
151070	70mm	36	0.021	22.9

## IRON PADLOCK

· Material: Iron



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
151232	32mm	120	0.008	12.1
151238	38mm	120	0.010	18.3
151250	50mm	60	0.009	18.4
151263	63mm	48	0.012	25.1
151275	75mm	36	0.014	26.8

## EXTERNAL DOOR LOCK

· Material: Copper



Anti-smashing, anti-prying, anti-violence, anti-technology Precision cast anti-insert mute stainless steel. Material Widened and thickened, durable Solid stainless steel large cylindrical lock tongue, widened solid, strong and durable, anti-theft fundamental Stainless steel

CODE #	SPEC	QTY	m <sup>2</sup>	G.W.
152001	140mm	20	0.035	22.8
152002S	120mm	20	0.033	21.1

## IRON PADLOCK

· TYPE: IRON PADLOCK · MATERIAL: STRONG STEEL  
 · SIZE: 25MM · KEY: STEEL KEY, NICKEL PLATED  
 · FEATURES: LASTING SAFETY



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
151225	25mm	360	/	17.0

## RECTANGLE BRASS PADLOCK

· Material: Copper



More than 20-year industry experience technical support OEM and ODM service. Strict QC system to make sure higher quality. Products have better cost performance ratio

CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
151170	70mm	36	0.022	16.8
151180	80mm	36	0.031	19.4
151190	90mm	36	0.030	25.1

### FLASHLIGHT

- Output power: 5W
- Lumen: 300LM/Lighting distance: 300M
- Working voltage: 3.7V/working current: 2A
- Discharge time: 1.5H/Charge time: 3H



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
RA03001	5W	120	0.0736	10.9

### RECHARGEABLE EMERGENCY LIGHT

- Output power: 2W/Lumen: 200LM
- Working voltage: 3.7V/working current: 0.7A
- Discharge time: 6H/Charge time: 4H



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
RA03002	2W	72	0.1198	15.7

### WORKLIGHT BATTERY VERSION

- Dry electric rotating magnet work lamp
- 2W/COB+1LED/ lumen 250Lm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
ART:RA02402	2W	18	0.0199	5.2

### WORKLIGHT BATTERY VERSION

- Dry electric rotating magnet work lamp
- 3W/COB+1LED/ lumen 250Lm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
ART:RA02403	3W	18	0.0199	5.7

### PENLIGHT BATTERY VERSION

- 3W/ lumen 150Lm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
ART:RA02404	3W	100	0.0405	8.2

### WORKLIGHT WITH POWER BANK

- 2\*5W/ lumen 1000Lm/4000mah



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
ART:RA02401	5W	6	0.0135	4.5

### FLOODING LIGHT BATTERY VERSION

- LED type: 5W cob lumen: 500LM
- mode: 100% COB-50% flash off
- battery: 4 \* AA (not included)
- color temperature: 6500K IP44
- product weight: 150g



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
ART:RA02405	5W	12	0.0244	6

### FLASHLIGHT

- Alkaline manganese+aluminum film



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
RA04201	7/1.5V/1100mAh	576	0.0119	8.40
RA04202	5/1.5V/2800mAh	576	0.0165	15.20

### ULTRA-BRIGHT FLASHLIGHT

- Light bulb: P50 lumens: 1200LM
- lighting time: 1.5H
- Charging time: 2H
- Battery: 1 \* 1865,
- single section 2200mAh
- Waterproof grade: IP4
- Product size: 43 \* 30 \* 163
- Product weight: 180.7 grams



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
RA01404	4.2V	50	0.0307	25.0

### ULTRA-BRIGHT FLASHLIGHT

- Lamp bead type: White laser (color temperature: 8500/color rendering index: 72)
- Brightness LM: Strong: 550/Weak: 150/COB: Strong 150-50
- Power: 15W Battery: 1 \* 26650 (3500mAh)/1 \* 18650
- Range h: 3-8h Gear: 8 Gear: K1 Strong Weak Explosive Flashing COB
- Strong Weak K2 LED Red Flashing LED Red Flashing RGB Color Light
- Conversion Product Weight: 216g (including sleeve and tail rope)
- Waterproof grade: IP4



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
RA01403	5V/1A	100	0.0886	/

## STAIRCASE DISPLAY STAND

· DQ Staircase display stand



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
ART:278.01	1.1x1x0.3x0.3m	1	0.092	26.1

## CANOPY TENT

· DQ Display rack



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
ART:146007	3mx3m	1	0.083	17.0



**WIRE STRIPPER**

- CABLE SIZE:0.6-0.8-1.0-1.3-1.6-2.0-2.6
- HANDLE:TPR HANDLE



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
67002	6.5"	120	0.041	18.3

**CRIMPING TOOLS**

- ALLOY STEEL
- PP+TPR HANDLE



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
FG02001	180MM	36	0.046	16

**WIRE STRIPPER**

- CABLE SIZE:AWG8-10-12-14-16
- HANDLE:TPR HANDLE
- 65mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
67003	8"	72	0.035	17.3

**40PCS SCREWDRIVER BITS SET**

- HEX · SPLINE · TORX
- 1/2" ×10mm
- 3/8" ×10mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
68001	40pcs	10	0.020	20.4

**TAPE DISPENSER**

- IRON
- MULTIFUNCTION



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
FC02801	7"	60	0.063	12.0

**SCREWDRIVER BITS**

- 6.5×65mm(+)-×10



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
68002	10pcs	120	0.016	21.0

**MULTI-PURPOSE SCREWDRIVER**

- PH1(+)-3/16(-)
- PH2(+)-1/4(-)
- SCREWDRIVER
- 45#STEEL



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
68009	4pcs	120	0.021	15.7

**SCREWDRIVER BITS**

- 6.5×65mm(+)-×10



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
68003	10pcs	120	0.016	20.5

**SCREWDRIVER BITS**

- 6.3×65mm(+)-×10



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
68013	6.3" 65mm	120	0.017	20.8

**SCREWDRIVER BIT SET**

- PH1(+)-PH2(+)-4(-)-5(-)
- 6(-)-PZ1-T15-T20-ADP
- SCREWDRIVER
- CRV



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
68011	11pcs	96	0.061	16.8

**MULTI-PURPOSE SCREWDRIVER**

- PH1(+)-3/16(-)
- PH2(+)-1/4(-)
- SCREWDRIVER
- 45#STEEL



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
68009	4pcs	120	0.021	15.7

### SCREWDRIVER BITS SET

- PH1(+), PH2(+), 4(-)
- 5(-), 6(-)
- PZ1, PZ2, T15, T20
- ADP
- SCREWDRIVER
- CRV-V/5 OPP+TPR



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
68010	11pcs	72	0.064	16.1

### RATCHET SCREWDRIVER SET

- 1PC ratchet handle driver
- 6pc Cs socket 5-6-7-8-9-10
- 1pc sockets adaptor
- 14PCS 25mmPCS Bits (CRV Material)
- Phillips:#0,#1,#2,#3 · Pozzi:#0,#1,#2
- Slotted:4mm,5mm,6mmTorx:T10,T15,T20,T30



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
68622	22PCS	24	0.036	9.3

### RATCHET SCREWDRIVER SET

- 13PC CR-V BITS · 1PC 60MM BITS HOLDER
- 9PCS SOCKETS · 1PCS ADAPTOR
- 1PC T-TYPE RACHET SCREWDRIVER



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
68625	25PCS	24	0.050	13.4

### RATCHET SCREWDRIVER SET

- Arbor: CR-V · Handle: PP+TPR
- 1PCS RATCHET SCREWDRIVER
- 24PCS CRV BITS (6.3-25MM)
- SOLLED:3MM,4MM,5MM,6MM,7MM
- PHILLIPS:#0,#1X2,#2X3,#3X2
- POZI:#1,#2,#3
- HEX:3MM,4MM,5MM
- TORX:T10,T15,T20,T25,T30
- 1PC 25MM ADAPTOR
- 1PC 125MM BITS HOLDER
- 10PCS SOCKETS" 4,5,6,7,8,9,10,11, 12,13MM



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
68638	38PCS	16	0.060	16.2

### VOLTAGE TESTER

- ARBOR:CR-V
- METIRAL:ABS



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
68114	3×140mm	600	0.044	12.8

### VOLTAGE TESTER

- APPLICATION:FOR VOLTAGE RANGE LESS THAN 500V
- ARBOR:CR-V
- HANDLE:ABS



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
68113	3*138mm	360	0.026	7.55

### DIGITAL TEST PENCIL

- Application: For voltage range less than 550V
- Arbor:CR-V
- Handle:ABS



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
68119	3×130mm	240	0.044	8.9

### VOLTAGE TESTER

- APPLICATION:FOR VOLTAGE RANGE LESS THAN 550V
- ARBOR:CR-V
- HANDLE:ABS



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
68116	3.5×193mm	360	0.005	13.6

### SCREWDRIVER

- CRV STEEL
- PP+TPR HANDLE



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
68305	5×100mm	120	0.028	10.5
68306	6×100mm	120	0.030	13.5
68307	6×125mm	120	0.037	14.0
68308	6×150mm	120	0.036	14.8
68309	6×200mm	120	0.037	16.1

### INDUCTION PENCIL

- MEASURING RANGE:50-1000V
- HANDLE:PLASTIC HANDLE
- WITH BATTERG



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
68120	158mm	96	0.041	7.0

### SCREWDRIVER

- CRV STEEL
- PP+TPR HANDLE



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
68204	6×100mm	120	0.039	14.9
68205	6×125mm	120	0.040	15.6
68206	6×150mm	120	0.040	16.4

**SCREWDRIVER**

- CRV STEEL
- PP+TPR HANDLE



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
68204	6×100mm	120	0.039	14.9
68205	6×125mm	120	0.040	15.6
68206	6×150mm	120	0.040	16.4

**SCREWDRIVER**

- 45#CRV STEEL
- PP+TPR HANDLE



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
68004	4"	144	0.031	22.5
68006	6"	144	0.033	26.7
68008	8"	108	0.031	27.2
68012	12"	108	0.039	31.8

**INSULATED SCREWDRIVER**

- CRV STEEL
- TPR HANDLE
- 45# STEEL



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
68804	4×100mm	120	0.023	8.7
68806	6×150mm	120	0.037	13.5

**SCREWDRIVER**

- 4" ×5mm(+)
- 5" ×6mm1+1
- 6" ×6mm(+)
- 4" ×5mm(-)
- 5" ×6mm(-)
- 6" ×6mm(-)



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
68601	6pcs	24	0.049	16.3

**4PCS CLOCK SCREWDRIVER SET**

- 2.0(+),3.0(+)



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
FH1001	4PCS	96	0.066	10.0

**4PCS CLOCK TORX SCREWDRIVER SET**

- T6/T7/T8/T9



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
FH1002	4PCS	96	0.066	10.0

## HORIZONTAL JACK

- Rising range:133-465mm
- Double valve



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
71001	3T/31kg	1	0.058	33.2

## SCISSOR JACKS

- lowest 80mm
- load-bearing capacity 1000 kg
- highest 320 mm
- lowest 80mm
- Mateial:Q235B



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
71110	1T/100±3-350±5	8	0.033	17.1
71115	1.5T/104±3-385±5	8	0.042	21.2
GA01401	2T/98±3-442±5	6	0.0357	3.2

## G-CLAMP

- Cast steel



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
75302	2"	120	0.019	26.5
75303	3"	48	0.021	27.0
75304	4"	36	0.019	27.6
75305	5"	24	0.020	23.8
75306	6"	18	0.021	22.6
75308	8"	12	0.019	21.0

## MULTI-FUNCTION JUMP STARTER

- Output jump starter:12v
- USB output:5V/2A
- Charge modes:13.5/1A
- Type-c:5V/2A
- Battery capacity: - 12000mAh



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
70060101	12000mAh/600A	10	0.039	12.0

## HYDRAULIC JACK

- Adjusting bolt Lifting cylinder Handle
- Lifting valve oil Pressure rod Thick base



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
71003	3T	5	0.014	15.6
71005	5T	5	0.018	20.3
71010	10T	4	0.017	21.1
71016	16T	2	0.011	17.0
71020	20T	2	0.015	19.7
71032	32T	2	0.019	23.1
71050	50T	1	0.014	28.8

## HYDRAULIC JACK

- Rising range:130-300mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
GA11420	20T	1	0.0117	/
GA11430	30T	1	0.026	/

## TWO JAWS GEAR PULLER

- Forged by medium carbon steel
- chrome plated surface



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
74103	3"/75mm	50	0.021	27.7
74104	4"/100mm	30	0.023	26.1
74106	6"/150mm	24	0.024	25.8
74108	8"/200mm	12	0.022	23.3
74110	10"/250mm	6	0.020	21.7

## JACK STAND

Read and understand all warning and instructions in manual before use.Failure to comply with these warnings may result in loss of load,serious property damage and/or personal injury.Do not exceed rated capacity perstand.Use stands only in pairs.Load in center of saddle only,not ends.Both stands must be set at same height with ratchet lock can fully engaged.Use on hard level surface capable of sustaining loaded stand,unstable stand may result in loss of load.



- highest 435 mm/600mm
- lowest 295mm/410mm

CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
71230	3T	4	0.062	21.7
71260	6T	2	0.071	19.6

## G-CLAMP

- Cast steel



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
75302	2"	120	0.019	26.5
75303	3"	48	0.021	27.0
75304	4"	36	0.019	27.6
75305	5"	24	0.020	23.8
75306	6"	18	0.021	22.6
75308	8"	12	0.019	21.0

## SOLDERING IRON



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
73040	40W	50	0.053	10.1
73060	60W	50	0.051	11.2
73100	100W	50	0.050	13.0

**AIR HOSE REEL**

- Casing Material:PP
- Hose Material: PVC
- Working Pressure: 150psi
- Hose Size: 5/16" (8\*12mm)
- Hose Length: 10+1m/20+1m
- Fitting: 1/4"BSPT+europe quick couplers



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
76110	10+1m	4	0.075	19.2
76120	20+1m	2	0.052	14.8

**WELDING ROD**

- carbon steel covered electrode



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
ART:GJ01425	2.5mm*300mm	4	0.0073	21.0
ART:GJ01432	3.2mm*350mm	4	0.0071	21.0
ART:GJ01440	4.0mm*400mm	4	0.0071	21.0

**OIL FILTER WRENCH**

- Carbon Steel
- Scope of use:50-120mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
76005	50-120mm	60	0.057	18.1

**WATER HOSE REEL**

- Casing Material:PP
- Hose Length: 15+1m
- Hose Material: PVC
- Hose Size: 1/2" (11x15mm)
- Working Pressure: 150psi
- Fitting: 1/4"BSPT+europe quick couplers



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
76215	15+1m	2	0.052	13.6

**TYRE PRESSURE GUN**

- WITHOUT OIL



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
76001	16kg	36	0.0953	17.15

**TYRE PRESSURE GUN**

- With Oil



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
76002	16kg	36	0.0964	21.75

**1/2" AIR IMPACT WRENCH**

- Torque:570N.m
- 7500RPM



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
76075	570N.m	6	0.022	17.8


**SAFETY HARNESS**



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
IJ01401	6mm	5	0.057	9.5

**SAFETY HARNESS**

- dacron
- Hook + rope and buffer bag total length of 1.95 meters



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
IJ01402	45mm	5	0.0474	15.0

## BLACK-CABLE TIE

· Packing:bag




The cable tie is made of UL approved nylon 66 through injection molding, with 94V-2 fire resistance, acid resistance, corrosion resistance, good insulation, aging resistance and strong durability. The working temperature is minus 40 to 90 degrees. The product has the characteristics of fast lashing speed, good insulation, no self-locking, and convenient use.

CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
BLK77210	2.5X100mm	500x100PCS	0.049	14.6
BLK77215	2.5X150mm	400x100PCS	0.051	16.8
BLK77315	3.0X150mm	300x100PCS	0.051	15.7
BLK77319	3.6X150mm	200x100PCS	0.042	14.0
BLK77320	3.6X200mm	100x100PCS	0.032	9.1
BLK77325	3.6X250mm	100x100PCS	0.035	11.6
BLK77330	3.6X300mm	80x100PCS	0.033	10.7
BLK77335	3.6X350mm	70x100PCS	0.034	11.1
BLK77415	4.8X150mm	100x100PCS	0.031	10.0
BLK77420	4.8X200mm	70x100PCS	0.032	9.0
BLK77425	4.8X250mm	60x100PCS	0.033	9.0
BLK77430	4.8X300mm	50x100PCS	0.033	9.0
BLK77435	4.8X350mm	40x100PCS	0.032	8.8
BLK77440	4.8X400mm	40x100PCS	0.026	10.5
BLK77445	4.8X450mm	30x100PCS	0.025	9.2
BLK77450	4.8X500mm	30x50PCS	0.018	5.7
BLK77720	7.6X200mm	200x50PCS	0.060	22.0
BLK77725	7.6X250mm	150x50PCS	0.057	23.0
BLK77730	7.6X300mm	100x50PCS	0.051	18.0
BLK77735	7.6X350mm	50x50PCS	0.034	10.2
BLK77740	7.6X400mm	50x50PCS	0.033	11.6
BLK77745	7.6X450mm	30x50PCS	0.024	8.1
BLK77750	7.6X500mm	30x50PCS	0.027	8.7
BLK77760	7.6X600mm	20x50PCS	0.031	9.0

## WHITE-CABLE TIE

· Packing:bag



The cable tie is made of UL approved nylon 66 through injection molding, with 94V-2 fire resistance, acid resistance, corrosion resistance, good insulation, aging resistance and strong durability. The working temperature is minus 40 to 90 degrees. The product has the characteristics of fast lashing speed, good insulation, no self-locking, and convenient use.

CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
77115	1.9X150mm	500x100PCS	0.049	15.0
77120	2.0X200mm	400x100PCS	0.056	16.0
77210	2.5X100mm	500x100PCS	0.049	14.6
77215	2.5X150mm	420x100PCS	0.051	16.8
77220	2.7X200mm	300x100PCS	0.049	17.0
77225	2.7X250mm	250x100PCS	0.057	18.0
77230	2.7X300mm	180x100PCS	0.057	18.0
77315	3.0X150mm	300x100PCS	0.051	15.7
77319	3.6X150mm	200x100PCS	0.042	14.0
77320	3.6X200mm	100x100PCS	0.031	8.0
77325	3.6X250mm	100x100PCS	0.036	11.8
77330	3.6X300mm	80x100PCS	0.033	10.5
77335	3.6X350mm	70x100PCS	0.035	11.3
77415	4.8X150mm	100x100PCS	0.031	10.0
77420	4.8X200mm	70x100PCS	0.032	9.1
77425	4.8X250mm	60x100PCS	0.031	9.5
77430	4.8X300mm	50x100PCS	0.032	8.9
77435	4.8X350mm	40x100PCS	0.033	9.2
77440	4.8X400mm	40x100PCS	0.025	11.0
77445	4.8X450mm	30x100PCS	0.026	9.0
77450	4.8X500mm	30x50PCS	0.016	5.0
77720	7.6X200mm	200x50PCS	0.063	23.2
77725	7.6X250mm	150x50PCS	0.058	22.4
77730	7.6X300mm	100x50PCS	0.051	18.1
77735	7.6X350mm	50x50PCS	0.035	10.3
77740	7.6X400mm	50x50PCS	0.034	11.6
77745	7.6X450mm	30x50PCS	0.025	8.4
77750	7.6X500mm	30x50PCS	0.025	8.8
77760	7.6X600mm	20x50PCS	0.031	9.0

**STEEL HOOK PULLEY**

· Material: Steel



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
84125	140mm	20	0.026	19.8
84145	160mm	16	0.025	20.4
84165	180mm	15	0.030	23.0
84175	200mm	12	0.029	22.6
84195	250mm	8	0.029	23.4

**HANDCART**

· SIEE:200KG



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
HD17042	200kg	1	0.0518	5.7

**PORTABLE FOOT PUMP**

The air is sucked into the storage area by pumping, and then the air required for various tires and some balls is injected or replenished by pushing



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
HC01455	855*120mm	20	0.052	25.0

**HAND PUMP**

The air is sucked into the storage area by pumping, and then the air required for various tires and some balls is injected or replenished by pushing



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
HC01638	45*430mm	10	0.049	8.3

**HAND PUMP**

Material: PP+iron+nylon  
48.3\*17.5\*14cm  
7bar/101psi



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
HA03401	7bar/101psi	20	0.0449	11.60

**HAND PUMP**

The air is sucked into the storage area by pumping, and then the air required for various tires and some balls is injected or replenished by pushing



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
HC01645	84.5*430mm	10	0.087	9.0

**TELESCOPIC LADDER**

· EXPANSION:ALUMINUM  
· Shrink height: 0.74M  
· Folded height:2.6M  
· Step distance:30CM  
· Bearing weight: 150KGS



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
HF02001	2.6m	1	0.0282	7.5
HF02003	3.2m	1	0.0311	9.5

**SAFETY LADDER**

· Height :70.5cm  
· Thickness: 0.9mm  
· Pedal:38x26cm  
· Pedal distance:24cm



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
HF01001	3-STEP LADDER	1	0.459	6.9
HF01002	4-STEP LADDER	1	0.545	8.5

**SAFETY LADDER**

· Pipe:φ25mm  
· Thickness:1.0mm  
· Pedal:38x26cm  
· Pedal distance:24cm



CODE#	SPEC	QTY	m <sup>3</sup>	G.W.
86002	2-STEP LADDER	4	0.130	19.5
86003	3-STEP LADDER	4	0.167	25.3
86004	4-STEP LADDER	4	0.197	34.0
HF0105	5-STEP LADDER	4	0.230	39.0

## AUTO-DARKENING WELDING HELMET

· Panel PP material solar



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
91201	433E	20	0.140	17.8

## SAFETY HELMET

· PE plastic Body;  
· Four-point double layer lining



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
95001	WHITE	24	0.097	9.1
95001D	ORANGE	24	0.097	9.2
95001B	BLUE	24	0.097	9.1
95001E	RED	24	0.097	9.1
95001F	GREEN	24	0.097	9.1

## SAFETY GOGGLES

· texture: PC



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
ID04501	TRANSPARENT	96	0.0355	/

## SAFETY GOGGLES

· texture: PC



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
ID04502	TRANSPARENT	96	0.044	/

## SAFETY GOGGLES

· PLASTIC



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
94004	DARK	48	0.067	4.7

## SAFETY GOGGLES

· PLASTIC



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
94003	TRANSPARENT	48	0.065	4.1

## SAFETY GLOVES

· Natural Latex 70%  
· Polyester:30%



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
91004	XL /260mm\45G	120	0.034	6.9
91004A	M/240mm\41G	120	0.034	6.9
91004B	L /250mm\43G	120	0.034	6.9
91004C	XXL /270mm\47G	120	0.034	6.9

## PVC HOUSEHOLD GLOVES

· Material: PVC

Do not touch high temperature objects above 60 degrees. Do not touch the chemical that can be dissolved at high temperature. Please stay away from fire.

Do not expose the gloves to high temperature or direct sunlight. After using, please remove the stains with a cleaning agent, and water flushing.

Do not touch sharp thing to avoid being pierced.



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
93001	120G/XL	120	0.035	15.5
93002	90G/L	120	0.035	11.9

## SAFETY SHOES

· Leather Ankle Shoe, Waterproof,  
· With Durable Rubber Outsole  
· And Quick Opening System



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
95140	40#	10	0.085	14.0
95141	41#	10	0.085	14.2
95142	42#	10	0.086	14.9
95143	43#	10	0.100	15.9
95144	44#	10	0.103	15.9
95145	45#	10	0.103	16.3

**SAFETY SHOES**

- Leather Ankle Shoe, Waterproof,
- With Durable Rubber Outsole
- And Quick Opening System



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
95339	39#	10	0.113	16.1
95340	40#	10	0.113	16.1
95341	41#	10	0.115	16.6
95342	42#	10	0.113	16.6
95343	43#	10	0.135	17.7
95344	44#	10	0.131	18.1
95345	45#	10	0.132	18.4

**SAFETY SHOES**

- Leather Ankle Shoe, Waterproof,
- With Durable Rubber Outsole
- And Quick Opening System



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
95440	40#	10	0.100	16.5
95441	41#	10	0.100	17.0
95442	42#	10	0.102	15.2
95443	43#	10	0.120	15.9
95444	44#	10	0.120	16.5
95445	45#	10	0.120	16.9

**SAFETY SHOES**

- Leather Ankle Shoe, Waterproof,
- With Durable Rubber Outsole
- And Quick Opening System



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
95740	40#	10	0.088	13.6
95741	41#	10	0.088	13.9
95742	42#	10	0.088	14.3
95743	43#	10	0.088	14.3
95744	44#	10	0.085	14.5
95745	45#	10	0.086	14.8
95746	46#	10	0.086	15.0

**RAIN BOOTS WITHOUT STEEL**

- Material: PVC



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
95840	40#	10	0.062	14.5
95841	41#	10	0.064	14.7
95842	42#	10	0.064	15.5
95843	43#	10	0.063	15.9
95844	44#	10	0.063	16.5
95845	45#	10	0.066	17.2
95846	46#	10	0.065	17.0

**TOOL BOX**

- PLASTIC
- Size:13" /15" /17" /19"



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
97020	4PCS	1	0.050	5.8

**TOOL BOX**

- PLASTIC



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
97015	15"	12	0.14	15.6
97017	17"	9	0.15	15.4
97019	19"	9	0.19	18.7

**TOOL BAG**

- Material: Zimbu



CODE #	SPEC	QTY	m <sup>2</sup>	G.W.
97201	32X22X25cm	12	0.053	10.2
97202	38X26X26cm	8	0.050	12.6

**TOOL BAG**

- Material: Zimbu



CODE #	SPEC	QTY	m <sup>2</sup>	G.W.
97208	25X28cm	24	0.089	8.0

**TOOL BAG**

- Material: Zimbu



CODE #	SPEC	QTY	m <sup>2</sup>	G.W.
97207	11X24cm	60	0.055	5.1

### TOOL BAG

· Material: Zimbu



tool backpack with zipper closure adjustable shoulder straps durable

CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
97204	40X22X26cm	4	0.097	9.9

### TOOL BAG

· Material: Zimbu



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
97205	40X23X30cm	40	0.089	7.6

### ELECTRIC WELDING PLIERS

- Current capacity:300/500/800A
- Cable specification:10-16/25-35/35-50mm
- Electrode specification:2.0-3.2/2.5-4.0/4.0-6.3mm
- Load persistence rate:35%



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
91330	300A	48	0.031	15.7
91350	500A	36	0.035	17.4
91380	800A	36	0.049	20.0

### SUCTION LIFTER

- One Head Suction
- Lifter,Diameter 118mm
- Load Capacity:45 kgs



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
9080101	SINGLE HEAD	36	0.069	12.3

### SUCTION LIFTER

- Double Head Suction
- Lifter,Diameter 118mm
- Load Capacity:80 kgs



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
9080102	DOUBLE HEADS	18	0.070	11.8

### SUCTION LIFTER

- Three Head Suction Lifter
- Diameter 118mm
- Load Capacity:100 kgs



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
9080103	THREE HEADS	8	0.060	8.1



### CORDLESS DRILL

- Max chuck:10mm
- Max Torque:29N.m
- No Load Speed:0-350/0-1350 Rpm
- Adjustable Torque Setting:21+1



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
105003A	18V/1500Mah	5	0.040	13.5

### CORDLESS BRUSHLESS DRILL

- Max torque:32N.m
- Size:10mm
- Rated voltage:12V
- No load speed:0-400/1400r/min



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
JE01101	12V/2000Mah	12	0.038	11.3

### CORDLESS DRILL

- Max Torque:25N.m
- No Load Speed:0-350-0-1350 Rpm
- Adjustable Torque Setting:18+1



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
105001A	12V/1500Mah	6	0.054	13.6

### CORDLESS BRUSHLESS DRILL

- Max chuck:10mm
- No Load Speed:0-400/0-1450 Rpm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
JE01001	21V/2000Mah	3	0.037	8.60

### CORDLESS BRUSHLESS IMPACT DRILL

- Max chuck: 10mm
- No Load Speed:0-400/-1450 Rpm
- Impact Rate:0-6000/0-21000Bpm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
JE01002	21V/2000Mah	3	0.037	9.50

### CORDLESS PRUNER

- Cutting Diameter:0-28mm
- Max power:500W
- Charger feed Voltage:110-240v
- Li-battery:16.8V/2Ah



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
JE08828	28mm/2Ah	5	/	/

### LITHIUM ELECTRIC TILE TIL

- parameter: 21V/2000mAH
- revolutions:3500-6000RPM
- Basic materials:Nylon + aluminum



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
JE12401	21V/2000mAH	4	0.0588	12.5

### CORDLESS SCREWDRIVER SET

- Voltage:3.6V · screw bits:50PC · battery:1.3Ah
- Chuck Size: 1/4"(6.35mm) · No-Load Speed:180RPM
- Max torque:4.0Nm · Charging time:3-5hours



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
JE01850	3.6V	10	0.020	6.0

### CORDLESS BLOWER

- Blowing rate:2.2-2.5m<sup>3</sup>/min
- No load speed:13000-16000r/min



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
102104	18V/2000Mah	6	0.068	14.1

### CORDLESS PRESSURE WASHER

- Pump head: 14 plungers
- Rated power: 250W
- Working pressure:1-1.5Mpa
- Flow rate: 270L/H



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
JE09001	21V/4000Mah	4	0.074	12.0

### CORDLESS SCREWDRIVER

- 3.6V/1500MAH
- TPR+metal/batch head material is CR-V



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
JE01828	3.6v/28pc	20	0.0355	11.80

### FAST STATION CHARGER

- Nominal Voltage:100-240Vac
- Variation Range:90-264Vac
- Nominal Frequency:50/60Hz
- Variation Frequency:47-63Hz



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
JE07001	1.7A	12	0.041	4.2

## IMPACT DRILL



- Full speed self-locking chuck
- Rated Voltage:220-240V
- Rated Frequency:50-60Hz
- No Load Speed:0-2800 r/min

CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
JA01401	10mm/450W	10	0.054	17.1

## IMPACT DRILL



- Rated Voltage:220-230V
- Rated Frequency:50-60Hz
- No Load Speed:0-3000 r/min

CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
101813	13mm/850W	5	0.039	13.8

## ROTARY HAMMER

- Max Hole-opening:26mm
- Impact Times:4000bpm
- Rated Input Power :900W
- No-load Speed:850r/min
- Rated Volt:220-240V/50-60HZ



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
102002A	26mm/900W	3	0.061	21.6

## ROTARY HAMMER

- Rated Voltage:220-240V
- Rated Frequency:50-60Hz
- Impact Times: 0-3000 bpm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
102003	17mm/950W	3	0.063	23.6

## ROTARY HAMMER

- Rated Voltage:220-240V
- Rated Frequency:50-60Hz
- Impact Times: 0-4000 bpm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
102004A	35mm/1150W	3	0.059	25.6

## ROTARY HAMMER

- revolution:800r/min
- Rated Voltage:220-240V
- Rated Frequency:50-60Hz
- Impact Times: 0-3150 bpm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
102006	32mm/1150W	3	0.067	23.8

## DEMOLITION HAMMER

- Impact Times: 0-4000bpm
- No Load Speed:0-1100rPM
- Rated Voltage:220-240V
- Rated Frequency:50-60Hz



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
102008A	26mm/800W	3	0.057	17.4

## DEMOLITION HAMMER

- Power:1650W
- Voltage:220-240V-50/60Hz
- Connection type:HEX
- Impact force: 52J
- No Load Speed:1800rp



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
102001	65mm/1650W	1	0.035	20.8

## DEMOLITION HAMMER

- Rated Voltage:220-240V
- Impact Times: 0-4000 rpm
- Rated Frequency:50-60Hz
- No-load Speed:0-1100 rpm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
102026	26mm/800W	3	0.058	18.5

## ANGLE GRINDER

- Rated Voltage:220-240V
- Rated Frequency:50-60Hz
- No load speed:
- 125mm-11000r/min
- 180mm-2800-3500r/min
- 230mm-6500r/min



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
101090	125mm/1200W	6	0.036	17.6
101180	180mm/1600W	2	0.020	8.8
101231	230mm/2300W	2	0.027	13.3

## ANGLE GRINDER

- Rated Voltage:220-240V
- Rated Frequency:50-60Hz
- No load speed:11000r/min



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
101084	100mm/850W	6	0.028	13.0
101085	115mm/850W	6	0.028	13.8
101080	115mm/1000W	6	0.028	14.1

## ANGLE GRINDER

- Rated Voltage:220-240V
- Rated Frequency:50-60Hz
- No load speed:11000r/min



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
101060	115mm/650W	10	0.046	13.5

## ANGLE GRINDER

- Rated Voltage:220-240V
- Rated Frequency:50-60Hz
- No load speed:900w



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
JB02403	110mm/900W	10	0.0398	16.7

## CUT-OFF SAW

- Blade Diameter: 355mm
- Rated Voltage: 220/240V
- Rated Frequency: 50/60Hz
- Rated Input Power: 2600W
- No Load Speed: 4100r/min



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
J102355	355mm/2600W	1	0.071	16.4

## BRUSH CUTTER

- 1.3KW
- Speed: 3000-3400rpm,
- displacement: 35.80cc
- generator model: G139F-3
- four stroke/single cylinder/air-cooled



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
DD04401	1.3kw	4	0.1224	26.2

## ELECTRIC SAW GUIDE BAR

- 18 inch 3/8.050/thickness 4.0mm
- 65 manganese steel



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
DG02402	18"3/8/62T	20	0.0087	/

## CIRCULAR SAW

- Rated Voltage:220-240V
- Rated Frequency:50-60Hz
- No load speed:5300 r/min



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
10090107	190mm/1400W	4	0.078	23.4

## COMPOUND MITER SAW

- Rated Power:1400W
- Voltage:220/240V-50/60Hz
- Rotating speed:5000r/min
- Cutter Size:210mm
- Saw Blade Kerf:25.4mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
J102255	254mm/2000W	1	0.053	14.5

## CIRCULAR SAW

- Rated Voltage:220-240V
- Rated Frequency:50-60Hz
- No load speed:4000 r/min



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
10090109	235mm/2300W	2	0.061	18.5

## ANGLE POLISHER



- Rated Voltage:220V
- Rated Frequency:50Hz
- No-load Speed:1000-3000r/min

CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
JB07401	180mm/1200w	4	0.0441	13.5

## GASOLINE CHAIN SAWS

- 0.9kw/11.5" - 0.9kw/12"



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
45012	0.9kw/12"	2	0.048	10.1

## GASOLINE CHAIN SAWS

- 20" 2.2kw
- displacement 58cc
- speed 3000-3400



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
45020	2.2kw/20"	2	0.0962	17.50

## ELECTRIC PLANER

- Rated Voltage:230V
- Rated Frequency:50Hz
- Rated no load speed:16500 rpm
- Rabbeting Depth:0-10 mm
- Planing Depth:0-2 mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
10090201	82mm/580W	6	0.068	21.5

## CLEAN WATER PUMP

- Model:QB60 - Power Source:220Volt 50Hz
- Rotating speed:3450r/min - Total Head: Max.21m
- Capacity:Max.26L/min - Suction Life: Max.9m



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
104001A	370W/2580r/min	4	0.032	19.3

## CLEAN WATER PUMP

- Model:QB70
- Power Source:220Volt 50Hz
- Rotating speed:2850r/min
- Q max:45L/min
- H max:38 m
- Suctl max 9m



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
104007	550W/0.75HP	2	0.028	17.9

## CLEAN WATER PUMP

- Model:CPM158
- Power Source:220Volt 50Hz
- Rotating speed:2850r/min
- Q max:105L/min
- H max:26.5m
- Suct.Lmax:9 M



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
104003A	750W/1HP	1	0.015	13.0

## CLEAN WATER PUMP

- Model:QB60
- Power Source:220Volt 50-60Hz
- Rotating speed:2850r/min
- Total Head: Max.26m
- Capacity:Max.26L/min
- Suction Life: Max.9m



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
104010A	370W/0.5HP	4	0.034	21.0

## 1/3 SHEET SANDER

- No-load speed: 7000-12000rpm
- Vibration frequency: 14000-24000
- Bottom plate size: 92 \* 184mm
- Cable: 2m H05VV-F 2 \* 0.75MM cable+VDE plug



CODE #	SPEC	QTY	m <sup>2</sup>	G.W.
JC05402	1	5	0.0419	9.2

## SUBMERSIBLE PUMP

- Lift 7m · diving depth 7m
- flow rate 10500L/H
- outlet diameter: 1"1.25" 1.50"
- equipped with 8m cable European plug
- with float switch



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
JD02403	550W	4	0.0486	3.82

## GASOLINE WATERPUMP



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
104101	2"/5.5HP	1	0.074	21.1
104102	3"/6.5HP	1	0.089	22.0

## GASOLINE WATER PUMP



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
LA01301	2"/50mm	1	0.084	23.6
LA01302	3"/75mm	1	0.083	24.4

## PRESSURE CONTROLLER

- Power Source:220-240V 50-60HZ
- Max.current:10A
- Starting pressure setting:1.5Bar
- Max.working pressure:10Bar



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
104104	DSK-3/1.1KW	12	0.066	16.7

## HIGH PRESSURE WASHER

- Rated Voltage:220V/50Hz
- MAX.Pressure: 110BAR



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
106002	1400W	1	0.037	6.6

## HIGH PRESSURE WASHER

- Rated voltage: 220V
- Motor type: induction motor
- Rated frequency: 50Hz
- Rated power: 1500W
- Working pressure: 8Mpa
- Rated flow:390L/H
- Waterproof level: IPX5



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
106005	1500W	2	0.068	22.5

## VACUUM CLEANER

- 1.Wet& Dry vacuum cleaner canclear dust and also dirty water.
- 2.with special slotfor accessoryholding.
- 3.with hook for cable storage.
- 4.water drain hole.
- 5.with castors, more stable andeasy to run.

- Voltage: 220V/50Hz
- Power: 1200W
- Suction:17kPa
- Volume: 15L



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
1011030	1600w/30L	1	0.1206	12.0
1011060	1600w/60L	1	0.171	15.5

## WELDING MACHINE

- Type:WIN-160/WIN-200/WIN-250 · Rated vantage:230V
- Rated frequency:50Hz
- Current:160A@60%/200A@60%/250A@60%
- Usable electrode:1.6-4.0mm/1.6-4.0MM/1.6-5.0mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
103016A	160A	2	0.049	10.75
103020A	200A	2	0.049	11.10
103025A	250A	2	0.049	11.75

## WELDING MACHINE MMA

- Type:MMA-400/MMA-500 · Rated voltage:230V
- Rated frequency:50Hz · Current:315A@60%/400A@60%
- Current adjustment:10-400A/10-500A
- Usable electrode:1.0-4.0mm/1.0-5.0mm



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
103440	400A	1	0.087	20.6
103450	500A	1	0.154	28.3

## BATTERY CHARGER

- Power:230v 50Hz
- Charger voltage:12-24V
- Rated output:12V/9A-24V/7A-12V/15A-24V/13A-12V/28A-24V/25A



- Max charger current:20A/30A/50A
- Battery capacities:30-180AH-30-220AH-30-400AH

CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
106020	240W	1	0.041	11.7
106030	450W	1	0.041	14.0
106050	1000W	1	0.064	21.9

## WELDING ROD

- carbon steel covered electrode



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
ART:JC02401	300A	30	0.0352	20.0
ART:JC02402	600A	30	0.0352	20.0

## AIR COMPRESSOR



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
JH0101	100L/2.2w	1	0.46	/
JH0102	200L/2.2w	1	0.46	/

## AIR COMPRESSOR

- Motor Speed: 2880 r/min
- Exhaust Volume: 0.14m<sup>3</sup>/min
- Greatest Pressure: 0.8Mpa
- Gas Time:48S



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
10080103	30L/1490W	1	0.080	23.1

## AIR COMPRESSOR

- Motor Speed: 2880 r/min
- Exhaust Volume: 0.27m<sup>3</sup>
- Greatest Pressure: 0.8Mppmin
- Gas Time:45S



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
10080105	50L/1490W*2	1	0.063	40.5

## VIBRATOR BAR

- Use with vibrator



CODE #	SPEC	QTY	m <sup>3</sup>	G.W.
10070101	1.5mX3.5cm	5	0.015	21.5
10070102	2mX3.5cm	5	0.020	25.0



### ARBOR FOR HOLE SAW



ITEM	SIZE	QTY	G.W.	CBM(M³)
136111	11mm	36	9.00	0.02

### FLAT WOOD BIT SET



ITEM	SIZE	QTY	G.W.	CBM(M³)
136206	6pc(10,12,16,18,22,25)	40	13.000	0.038

### FLAT CHISEL



ITEM	SIZE	QTY	G.W.	CBM(M³)
137201	30~400mm	20	30.00	0.01

### ARBOR FOR HOLE SAW



ITEM	SIZE	QTY	G.W.	CBM(M³)
136110	9.5mm	72	6.900	0.027

### HOLE SAW



ITEM	SIZE	QTY	G.W.	CBM(M³)
136119	19mm 3/4"	100	4.800	0.021
136122	22mm 7/8"	100	6.000	0.022
136125	25mm 1"	100	7.300	0.021
136129	29mm 1-1/8"	100	9.300	0.021
136135	35mm 1-3/8"	100	10.900	0.021
136138	38mm 1-1/2"	100	9.100	0.026
136144	44mm 1-3/4"	100	11.000	0.026
136151	51mm 2"	100	14.300	0.038
136164	64mm 2-1/2"	50	10.800	0.031
136176	76mm 3"	50	13.500	0.040
136183	83mm 3-1/4"	50	16.700	0.042
136192	92mm 3-5/8"	20	8.300	0.028
1361102	102mm 4"	20	9.700	0.027



# Classic<sup>®</sup>

## Paint Rollers & Brushes




## EXTENSION RODE STICK



ITEM	SIZE	QTY
ALF3303	DOBLE LOCK 2 MTR CLASSIC	-
ALF3304	DOBLE LOCK 2.5 MTR CLASSIC	-
ALF3305	DOBLE LOCK 3 MTR CLASSIC	-
ALF3306	DOBLE LOCK 4 MTR CLASSIC	-

## MINI ROLLER



ITEM	SIZE	QTY
ALF2967	WITH HANDLE EMELSION 4" CLASSIC	-
ALF2968	WITH HANDLE GLOSS 4" CLASSIC	-

## CLASSIC REFILL



ITEM	SIZE	QTY
REFILL	4" CLASSIC	-

## PAINT BRUSH



ITEM	SIZE	QTY
ALF1786	1" CLASSIC	-
ALF1787	1 1/2" CLASSIC	-
ALF1784	1/2" CLASSIC	-
ALF1746	2" CLASSIC	-
ALF2974	2.5" CLASSIC	-
ALF1747	3" CLASSIC	-
ALF2858	3" PETA	-
ALF1785	3/4" CLASSIC	-
ALF1788	4" CLASSIC	-
ALF2975	WH BRISTLE 2" CLASSIC	-
ALF2971	WH BRISTLE 2.5" CLASSIC	-
ALF2972	WH BRISTLE 3" CLASSIC	-
ALF2973	WH BRISTLE 4" CLASSIC	-

## PAINT ROLLER



ITEM	SIZE	QTY
ALF1795	4" CLASSIC GREEN	-
ALF1796	4" CLASSIC WHITE	-
ALF1791	9" CLASSIC BLUE DH	-
ALF1790	9" CLASSIC GREEN BH	-
ALF1793	9" CLASSIC WHITE BH	-
ALF1792	9" CLASSIC WHITE DH	-
ALF1789	9" REFILL CLASSIC GREEN	-
ALF1794	9" REFILL CLASSIC WHITE	-
ALF2965	9" CLASSIC GREEN ALF	-
ALF1745	9" CLASSIC GREEN DH	-

## PAINT TRAY CLASSIC



ITEM	SIZE	QTY
ALF2966	-	-

## ALU LOCK BODY ROLLER TYPE CP

Classic 85x20 HQ-30559D



## ALU LOCK BODY ROLLER TYPE CP

Classic 85x20 (W/OUT)



## ALU LOCK BODY LATCH TYPE CP

Classic 70x20



## ALU LOCK BODY ROLLER TYPE CP

CP Classic 70x20



## UPVC DOOR LOCK BODY 85X35

CLASSIC HQ30559-106



## UPVC DOOR HANDLE 92X35

HQ30559-101



## UPVC DOOR LOCK BODY 85X35

CLASSIC HQ30559-106



## LOCK CYLINDER 60MM

SN Classic HQ30559V



## LOCK CYLINDER 60MM

GP Classic HQ30559W



## LOCK CYLINDER 54MM

SN Classic HQ30559E



## ALU LOCK BODY LATCH 85X30

Classic 30559-105



## ALU LOCK BODY LATCH TYPE CP

Classic 85x20 (W)/OUT



## LOCK BODY HQ30559-U

Classic GP 85x45



## LOCK BODY HQ30559-T

Classic SN 85x45



## DOOR HANDLE SET HQ30459-P

Classic MCF M53F117



## DOOR HANDLE SET

HQ30559-S Classic



## DOOR HANDLE SET HQ30459-Q

Classic MCF M18F96



## DOOR HANDLE SET

HQ30559-R Classic



## DOOR HANDLE SET HQ30459-F

Classic SN/CP-608-611



## DOOR HANDLE SET HQ30459-G

Classic SN/GP-608-611



## DOOR HANDLE SET HQ30459-H

Classic GOLD SG-608-611



## DOOR HANDLE HQ30459-L

Classic MCF M53F117 (R/HANDLE)



## DOOR HANDLE

HQ30559-0 Classic



## DOOR HANDLE HQ30459-I

Classic SN/CP-608-611



## DOOR HANDLE

HQ30559-N Classic



## DOOR HANDLE HQ30459-M

Classic MCF M18F96



## DOOR HANDLE HQ30459-J

Classic SN/GP-608-611



## DOOR HANDLE HQ30459-K

Classic GOLD SG-608-611



## T.C.T HOLE SAW

20mm, 25mm, 28mm, 30mm  
32mm, 40mm, 50mm



## HOSE COCK

1/2" BRASS. 19769-1  
3/4" BRASS. 19769-2



## T.C.T HOLE SAW

38mm, 63mm, 75mm, 100mm  
102mm, 125mm, 152mm



**ANGLE VALVE**

TA-307



**ANGLE VALVE**

SHORT-TA301



**ANGLE VALVE**

SHORT-TA305



**ANGLE VALVE**

SHORT-TA302



**BRASS ANGLE VALVE**

SHORT-TA323



**ANGLE VALVE**

TRESERA TA-306



## ANGLE VALVE SHORT-TA304



## CONNECTION HOSE 1/2 X 1/2

- 30CM-54834
- 45 CM-54835
- 60 CM-54836
- 90 CM-54837



## CONNECTION HOSE 3/8 X 1/2

- 45CM-54832
- 60 CM-54833



## CONNECTION HOSE 3/8 X 1/2

FOAM JUMBO (1x10)



## FLOATING VALVE SIZE 1/2" 3/4" 1"



## KITCHEN SINK MIXER TRESERA

TS-307, Z616-03-01



## **KITCHEN SINK MIXER TRESERA**

TS-311, Z616-06-1



## **KITCHEN SINK MIXER TRESERA**

TS-312, Z616-06-2



## **KITCHEN SINK MIXER TRESERA**

TS-318, 51001-03 MAAT



## **KITCHEN SINK MIXER TRESERA**

TS-319, S1002-03 MAAT



## **KITCHEN SINK MIXER TRESERA**

TS-308, Z616-03-2



## **SHATTAF HANDLE TRESERA**

CHROME-GY41



## SHATTAF HANDLE

TRESERA WH-GY41



## SHATTAF SET

TRESERA WHITE-GY38



## SHATTAF SET

TRESERA CHROME-GY38



## SHATTAF SET

TRESERA BLACK-GY38



## SHOWER HOSE CHROME

150CM-54839

180CM-54840

200CM-54841



## SHOWER HOSE PVC WHITE

150CM-54843



## SHATTAF HANDLE

TRESERA WH-GY41



## SHATTAF SET

TRESERA WHITE-GY38



## SHATTAF SET

TRESERA CHROME-GY38



## SHATTAF SET

TRESERA BLACK-GY38



## SHOWER HOSE CHROME

150CM-54839

180CM-54840

200CM-54841



## SHOWER HOSE PVC WHITE

150CM-54843



## SHOWER HOSE PVC GREY

150CM-54843



## SHATTAF HOSE

TRESERA WHITE-GY38



CHROME 120CM  
54838

PVC 120CM GREY  
54842

PVC 120CM WHITE  
55397

## SHOWER HANDLE

DN2050-D BIG



## SHOWER HANDLE

ZD2099 TRESERA



## SHOWER HANDLE

ZD3008-D TRESERA



## SHOWER FULL SET

DN2050-D BIG



**SHOWER FULL SET**

ZD2099 TRESERA



**SHOWER FULL SET**

ZD3008 TRESERA



**SHOWER FULL SET**

ZD3260 TRESERA SQUARE



**SHOWER FULL SET**

ZD2150-C TRESERA



**SHOWER MIXER**

TRESERA TS-306, 1233-04



**SHOWER MIXER**

TRESERA TS-310, Z1123-03



**SHOWER ROSE ROUND**

200MM TRESERA ZW203



**SHOWER ROSE SQUARE**

190MM TRESERA ZW205



**TISSUE BOX**



**WASH BASIN MIXER**

TRESERA TS-309, Z1121-02



**WASH BASIN MIXER**

TS-305, Z1231



53423-11/4

53424-11/2



**WC FLUSH FITTING**

J30B01



**FLUSH ADJUSTABLE FILL VALVE**

**WC FLUSH FITTING**



**WC FLUSH FITTING**



**WC FLUSH FITTING**





Quality for life



# Automatic pump control



EPC-1

## PRODUCT INTRODUCTION

- Use for all household water system
- Control the pump to run at a constant flow
- The Electronic Controller orders the automatic start and stop of the water pump when opening or closing any tap or valve of the system
- Completely replaced traditional pump control system composed of pressure switch, pressure tank and check valve etc.

## BENEFIT FOR CUSTOMERS

- Adjustable starting pressure
- Water shortage protection
- Automatic restart in case of water failure
- Water pump impeller jammed protection
- Pipeline leakage protection
- Flow switch jammed protection

**1**  
**YEAR**  
WARRANTY

## ALUMINIUM NET



ITEM	SIZE	QTY
ALF3475	18x14meshx1.2x15 MTR	1 Box Pack
ALF3339	18x14meshx1.2x20 MTR	4x1 Box Pack
ALF3161	48"x13 MTR	Box Packing

## BIRD SPIKES




ITEM	SIZE	QTY
ALF3765	50CM	-

## BEARING GERMANY



ITEM	SIZE	QTY
ALF3115	6201	-
ALF3116	6202	-
ALF3117	6203	-
ALF3118	6204	-
ALF3119	6205	-
ALF3120	6206	-

## BRAD NAILS



ITEM	SIZE	QTY
ALF3346	F15	-
ALF3132	F20	-
ALF3133	F25	-
ALF3134	F30	-
ALF3349	F32	-
ALF3135	F35	-
ALF3347	F40	-
ALF3348	F50	-

## BINDING WIRE



ITEM	SIZE	QTY
ALF3474	BWG 20	3KG

## BROOM BRUSH



ITEM	SIZE	QTY
ALF1814	BALCK COCO 29CM	1X30
ALF1817	NYLONE RED 30CM	1X36

## CHAIN LOCK



ITEM	SIZE	QTY
ALF2433	-	-

## BROOM STICK



ITEM	SIZE	QTY
ALF1820	POLISHED 22MM	-
ALF1861	POLISHED 28MM	-

## CHALK LINE POWDER

- RED CHINA
- POWER BLUE
- REEL SET PT
- REEL BLUE



ITEM	SIZE	QTY
ALF1432	-	-
ALF2050	-	-
ALF1327	-	-
ALF1864	-	-

## CASTER WHEEL



ITEM	SIZE	QTY
ALF3455	1.5" W / BRK - RED	-
ALF3456	2" W / BRK - RED	-
ALF3624	3" W / BRK - RED	-
ALF3457	4" W / BRK - RED	-
ALF3626	5" W / BRK - RED	-
ALF3452	1.5" RED	-
ALF3453	2" RED	-
ALF3623	3" RED	-
ALF3454	4" RED	-
ALF3627	4" RED FIX TYRE	-
ALF3625	5" RED	-

## CASTER WHEEL



ITEM	SIZE	QTY
ALF2747	1 1/2" FLAT	4PCS
ALF1884	1 1/2" FLAT	8PCS
ALF3642	1 1/2" FLAT	8PCS
ALF3142	(027) 4" BLACK	-
ALF3338	1 1/2" BRK	4PCS
ALF1883	1 1/2" BRK	6PCS
ALF3643	1 1/2" BRK	8PCS
ALF1568	BALL 2 INCH	-
ALF3141	BRAKE(028)4" BLACK	-
ALF1097	FLAT 2 INCH (4 PCS)	-
ALF1882	FLAT 2" BRK (4PCS)	-
ALF2111	BALL 1.1/2"	-

## GATE LATCH HD



ITEM	SIZE	QTY
ALF1356	10 KF	1X6
ALF1358	12 KF	-
ALF3695	10"	-

## COTTON ROPE



ITEM	SIZE	QTY
ALF2883	WH 6MMx40 YDS	-
ALF2884	WH 8MMx40 YDS	-
ALF2885	WH 10MMx40 YDS	-
ALF2886	WH 12MMx40 YDS	-
ALF2887	WH 14MMx40 YDS	-
ALF2888	WH 16MMx40 YDS	-

## FURNITURE GLIDE



ITEM	SIZE	QTY
ALF3580	14MM (NILE)	200PCS
ALF3581	17MM (NILE)	200PCS
ALF3582	20MM (NILE)	200PCS

## FIBER MESH



ITEM	SIZE	QTY
ALF2147	BLUE 6"	35MTR

## FINGER LATCH



ITEM	SIZE	QTY
ALF3809	-	-

## FISHING ROPE



ITEM	SIZE	QTY
ALF3940	0.80MM	12 ROLL
ALF2679	1.00MM	12 ROLL

## FIX BOLT CUP HOOK



ITEM	SIZE	QTY
ALF2881	10x70MM	30
ALF1858	6x50MM	60
ALF3127	12MM	15
ALF1859	M8x75MM	35

## FIX BOLT



ITEM	SIZE	QTY
ALF1666	10x70	50
ALF1441	6x100	-
ALF1442	8x50	-
ALF2326	M12x90MM	1x240

## FIX BOLT EYE HOOK



ITEM	SIZE	QTY
ALF1443	M6	100
ALF3128	12MM	15
ALF1444	M 8	50
ALF1445	M10	20

## D SHAKLE



ITEM	SIZE	QTY
ALF2028	10MM	-
ALF2029	12MM	-
ALF3295	12MM	-
ALF2235	5MM	-
ALF2236	6MM	-
ALF2027	8MM	-

## GAS HOS GREEN



ITEM	SIZE	QTY
ALF2675	50MTR	-

## GATE LATCH



ITEM	SIZE	QTY
ALF2204	10" DAICHI HD	-
ALF2205	12" DAICHI HD	-

## GI SNAP SHAKLE SPRING LOCK



ITEM	SIZE	QTY
ALF2243	4MM	-
ALF2244	5MM	-
ALF2245	6MM	-
ALF2246	8MM	-
ALF2247	10MM	-
ALF2248	12MM	-

## GI PVC WELDED WIRE MESH



ITEM	SIZE	QTY
ALF3908	19x1/2"x1/2"x4FT	25 METER
ALF2143	19x1/2"x1/2"x3FT	50FT
ALF2144	19x1/2"x1/2"x4FT	50FT
ALF2145	19x1/2"x1/2"x6FT	50FT

## MOUNTING TAPE



ITEM	SIZE	QTY
ALF2839	12MM x 5MTR	1/2" 2PCS
ALF2840	18MM x 5MTR	3/4
ALF2838	24MM x 5MTR	1"
ALF2841	48MM x 5MTR	2"

## TRY SQUARE

• BOTH SIDE PRINTED UNIQUE INDIA



ITEM	SIZE	QTY
ALF3692	8" 10" 12"	-

## GI SNAP SHAKLE SPRING




ITEM	SIZE	QTY
ALF2237	4MM	-
ALF2238	5MM	-
ALF2239	6MM	-
ALF2240	8MM	-
ALF2241	10MM	-
ALF2242	12MM	-

## HOLD FAST



ITEM	SIZE	QTY
ALF1979	5"	-
ALF1980	6"	-
ALF2522	7"	-

## GI WELDED WIRE MESH



ITEM	SIZE	QTY
ALF2138	20x1/2"x1/2"x4FT	100FT
ALF2142	14x1"x1"x4FT	(50FT)29KG
ALF3708	15x1"x1"x4FT	(50FT)26KG
ALF3254	18x1"x1"x4FT	(50FT)15KG
ALF2796	18x1"x1"x4FT	(50FT)18KG
ALF3340	19x1/2"x1/2"x4FT	50FT
ALF2140	20x1/2"x1/2"x4FT	50FT

## MASON TROWEL PAN



ITEM	ALF1269	SIZE 115x30T TIANLY	QTY
ALF2809		LARGE GRS	-
ALF2880		LARGE REWARD	-
ALF2811		MEDIUM GRS	-
ALF2878		MEDIUM REWARD	-
ALF2879		SMALL REWARD	-
ALF2810		X-LARGE GRS	-
ALF1977		LRGE-NO:12 UNIQUE INDIA	-
ALF1976		MEDIUM-NO:10 UNIQUE INDIA	-
ALF3690		SMALL-NO:8 UNIQUE INDIA	-
ALF1978		XL-NO:14 UNIQUE INDIA	-

## GI WIRE ROPE CLAMP



ITEM	SIZE	QTY
ALF2583	10MM	-
ALF2960	12MM	-
ALF2580	5MM	-
ALF2581	6MM	-

## HOLD FAST ZIG ZAG INDIA



ITEM	SIZE	QTY
ALF3697	20MMx30MMx6"	-

## GI CHAIN



ITEM	SIZE	QTY
ALF1667	10MM	-
ALF1985	12MM	-
ALF1449	3MM	-
ALF1450	4MM	-
ALF1451	5MM	-
ALF1452	6MM	-
ALF1603	8MM	-

## PICK AXE HANDLE



ITEM	SIZE	QTY
ALF1772	H/D	-
ALF1997	H/D DU	-

## MOUSE CAGE



ITEM	SIZE	QTY
ALF2565	BIG 39CMx18X18	-
ALF2565	SMALL 24CMx12X12	-

## NYLONE TWINE



ITEM	SIZE	QTY
ALF2359	200 GRAMS	-
ALF1331	BIG	-
ALF2360	SMALL	-

## OIL CAN IRON



ITEM	SIZE	QTY
ALF3977	-	-

## PACKING M.S METEL CLIP



ITEM	SIZE	QTY
ALF3173	3/4"	-

## PICK AXE



ITEM	SIZE	QTY
ALF2148	-	-
ALF1809	2KG	-

## REVOLVING PUNCH PLIER



ITEM	SIZE	QTY
ALF3915	6 HOLES	-

## PICK UP TOOL



ITEM	SIZE	QTY
ALF3991	MAGNETIC J280 ORANGE	-
ALF2458	5LB	-
ALF2457	8LB	-
ALF3170	TELESCOPIC MAGNET	-

## PLASTERING TROWEL



ITEM	SIZE	QTY
ALF1611	1X36	-

## PLASTIC BUCKET H/D INDIA



ITEM	SIZE	QTY
ALF1704	12L	-

## PLASTIC CHAIN



ITEM	SIZE	QTY
ALF2513	6MMx20MTR	-
ALF2514	8MMx25MTR	-

## PLUMBOB METRO



ITEM	SIZE	QTY
ALF2516	SMALL NO-2	-
ALF2517	MEDIUM NO-5	-

HARDWARES

## STEEL CORNER/DOUBLE



ITEM	SIZE	QTY
ALF2466	20x20	1x100
ALF1368	20x20	1x50
ALF2402	25x25	1x100
ALF2855	80x80	1x25

## SAND MESH



ITEM	SIZE	QTY
ALF3164	4 FEETx12 FEET	-

## SCAFFOLD CASTER RUBBER BRAKE



ITEM	SIZE	QTY
ALF3143	6"	-
ALF3144	8"	-

## SHARPENING STONE



ITEM	SIZE	QTY
ALF1771	6" H/D	-

## SHOWEL BABY HD



ITEM	SIZE	QTY
ALF3762	RED SQUIRE SJ-96006B	-
ALF2435	SJ-96006 BLACK	-

## SHOWEL ROUND HEAD



ITEM	SIZE	QTY
ALF2847	LD JUMBO NEW	-
ALF2848	W/METAL HANDLE	-

## WINDOW ROLLER



ITEM	SIZE	QTY
ALF3706	38x230	-

## TILE TRIM



ITEM	COLOR	QTY
ALF3487	MARBLE COLOR-107	-
ALF3481	BEIGE	-
ALF3486	BLACK	-
ALF3485	BROWN	-
ALF3484	GRAPHITE	-
ALF3483	GREY	-
ALF3489	MARBLE COLER-29	-
ALF3488	MARBLE COLER-31	-
ALF3482	OFF WHITE	-
ALF3480	WH	-

## WINDOW SCRAPER



ITEM	SIZE	QTY
ALF1269	115x30T TIANLY	-
ALF2515	-	-

## STEEL WHEEL GRU



ITEM	SIZE	QTY
ALF1147	301 3/4	1x100
ALF1148	302 1"	1x50

## WIPER HD CORONAT



ITEM	SIZE	QTY
ALF2696	-	-

## TROLLY FOUR WHEEL



ITEM	SIZE	QTY
ALF2574	PH150 HD	1x100
ALF2573	PH300 HD	1x50

## TURN BUCKLE



ITEM	SIZE	QTY
ALF2951	10MM	-
ALF3292	12MM	-
ALF3293	14MM	-
ALF3294	16MM	-
ALF2949	6MM	-
ALF2950	8MM	-

## WINDOW SEALING TAPE



ITEM	SIZE	QTY
ALF3564	1'x5MTR	-
ALF3565	2'x5MTR	-

## WIRE BRUSHWOOD HANDLEGOLDEN



ITEM	SIZE	QTY
ALF1382	-	-

## WHEEL BARROW



ITEM	TYPE	QTY
ALF1735	SILVER/BLUE DOUBLE TYRE	-

## WHEEL BARROW




ITEM	TYPE	QTY
ALF1734	BLACK SINGLE AIR WHEEL	-
ALF3451	BALCK SINGLE SOLID WHEEL	-
ALF3907	BLACK SOLID TYRE-JUMBO	-

## TOOL BOX GI



ITEM	SIZE	QTY
ALF2277	21"	4
ALF2278	16.5"	4

## 13A MULTY PLUG



ITEM	SIZE	QTY
ALF1408	7507	-
ALF1074	1328	1x10
ALF2309	36 GC	1x7
ALF2310	USB-KIMITON	-

## 13A MULTY WITH SWITCH



ITEM	SIZE	QTY
ALF1203	8231	1x6
ALF2726	EXT:3 METER (PENESQNIG)	-
ALF2725	(PENESQNIG)	-

## 13A TOP PLUG



ITEM	SIZE	QTY
ALF3331	BLACK MAAT	-

## 15A TOP PLUG



ITEM	SIZE	QTY
ALF1855	(32A) KIMITON	-
ALF1552	0042	-

## CERAMIC HOLDER



ITEM	SIZE	QTY
ALF1689	E27	-

ELECTRICALS

## 2 PIN PLUG



ITEM	SIZE	QTY
ALF1028	MALE	1x24
ALF1056	FEMALE	-

## BATTEN HOLDER STUDY



ITEM	SIZE	QTY
ALF2713	MULTY (E27+B22)	-
ALF1553	B22	1x10
ALF1554	E27	1x10
ALF1829	E27 R-MAX	20

## CAPASITOR



ITEM	SIZE	QTY
ALF3997	8UF-450V	-
ALF3998	10UF-450V	1x12
ALF3999	12UF-450V	1x12
ALF4000	15UF-450V	-
ALF4001	20UF-450V	1x10
ALF4002	25UF-450V	1x20
ALF4003	30UF-450V	1x12
ALF4004	35UF-450V	1x10

## ELCT IN SOCKET 3 PIN



ITEM	SIZE	QTY
ALF2642	FEMALE(213)	-
ALF2641	WALL MOUNT (GB 113) FEMALE	-
ALF2640	(GB 013) MALE	-

## ELCT TERMINAL CONNECTOR



ITEM	SIZE	QTY
ALF2263	100MM	1x100 BDL
ALF2264	12MM	1x100 BDL
ALF2408	16MM	1x100 BDL
ALF2265	20MM	1x100 BDL
ALF2262	6MM	1x100 BDL

## ELCT EXTENSION CABLE



ITEM	SIZE	QTY
ALF1439	25 MTR	-
ALF1440	50 MTR	-

## ELCT PIPE BENDER



ITEM	SIZE	QTY
ALF1848	20MM	-
ALF1908	25MM	-

## ELCT WIRE PULLER GI



ITEM	SIZE	QTY
ALF2525	15 MTR (BALL+HOOK)	-
ALF2526	20 MTR (BALL+HOOK)	-
ALF2527	25 MTR (BALL+HOOK)	-
ALF2528	30 MTR (BALL+HOOK)	-

## ELCT WATER PROOF BOX



ITEM	SIZE	QTY
ALF2266	WH	-
ALF2529	CLEAR	-

## EXTENSION SOCKET



ITEM	SIZE	QTY
ALF3333	3 WAY 3 MTR MAAT	-
ALF3334	3 WAY 5 MTR MAAT	-
ALF3335	4 WAY 3 MTR MAAT	-
ALF3336	4 WAY 5 MTR MAAT	-
ALF3337	5 WAY 3 MTR MAAT	-

## ELCT WIRE PULLER PVC



ITEM	SIZE	QTY
ALF2260	15 MTR	-
ALF1909	20 MTR	-
ALF2261	25 MTR	-
ALF1910	30 MTR	-

ELECTRICALS

## FANCY BLACK LAMP HODER



ITEM	SIZE	QTY
ALF1029	E,S E27	-

## FUSE




ITEM	SIZE	QTY
ALF1857	13A	-

## GENARATER PLUG



ITEM	SIZE	QTY
ALF1274	BLACK 101	-
ALF1071	QS 7268-7363(FEMALE)	-
ALF2699	BLACK 101 BIG	-
ALF1070	SR 7351 (MALE)	-
ALF1037	YELLOW MALE	-

## GU 10 HOLDER



ITEM	SIZE	QTY
ALF1591	-	-

## HANGING HOLDER



ITEM	SIZE	QTY
ALF1125	B22-CRABLE	1x20
ALF1126	E27-CRABLE	1x20
ALF1849	1ST E27 R-MAX	-
ALF2314	-	1X20
ALF1219	B22	-
ALF1110	E27-DI	-

## MR 16 HOLDER



ITEM	SIZE	QTY
ALF1079	15M	-
ALF1598	20CM	-

## HOLDER CONVERTER



ITEM	SIZE	QTY
ALF1030	B22 TO E27(213)	1x20
ALF1966	E14 TO E27	1x24
ALF1218	E27 TO B22(208)	1x20
ALF2692	E27 TO E40	-

## HOLDER



ITEM	SIZE	QTY
ALF1271	E14 STRAIGHT BLK	-
ALF2446	E14 STRAIGHT WH	-

## IRON PLUG



ITEM	SIZE	QTY
ALF1587	Y305C	1x10

## TURAYA HOLDER



ITEM	SIZE	QTY
ALF1075	E14 BLACK	-
ALF1852	E14 WHITE	-
ALF1688	E27 2707 BLACK	1x40P
ALF1077	E27 E 2708 WHITE	1x40P

## TUBE HOLDER



ITEM	SIZE	QTY
ALF2437	STARTER TYPE BLACK	-
ALF2438	BLACK SMALL 22003	-
ALF1856	GREEN L 21001	-
ALF3761	WITH FITTING	-

ELECTRICALS

## ARBOR BIT



ITEM	SIZE	QTY
ALF1627	A2	-
ALF1628	A4	-

## CUTTING DISC STEEL



ITEM	SIZE	QTY
ALF2381	115x1MM TIANLY	-
ALF1202	105x1MM TIANLY	-
ALF1918	115x3MM TIANLY	-
ALF1207	175x3MM	-
ALF1208	230x3MM	-
ALF2415	300x3MM	-
ALF2416	350x3MM 14"	-
ALF2072	4x3MM	-

## DIAMOND DISC



ITEM	SIZE	QTY
ALF1209	115	-
ALF1267	115 TIANLY	-

## DIAMOND DISC



ITEM	SIZE	QTY
ALF1925	180x3MM TIANLY	-
ALF1926	230x3MM TIANLY	-
ALF2376	THIN 1.2 TIANLY	-

## DRILL BIT HSS



ITEM	SIZE	QTY
ALF1303	10MM	1x10P
ALF1305	12MM	1x5P
ALF1306	14MM	1x5P
ALF2410	2.5MM	1x10P
ALF2411	20MM	1x10P
ALF2412	22MM	1x
ALF2413	18MM	1xP
ALF2414	25MM	1xP
ALF1291	2MM	1x10P
ALF1292	3MM	1x10P
ALF1293	3.5MM	1x10P
ALF1295	4MM	1x10P
ALF1296	4.5MM	1x10P
ALF1297	5MM	1x10P
ALF1298	5.5MM	-
ALF1299	6MM	1x10P
ALF1300	7MM	1x5P
ALF1301	8MM	1x5P

## DRILL BIT MASONARY



ITEM	SIZE	QTY
ALF1262	-	10x120
ALF1263	-	12x150
ALF1264	-	14x150
ALF1257	4MM	-
ALF1258	5MM	-
ALF1259	-	6x100
ALF1260	-	7x110
ALF1261	-	8x120

## DRILL BIT SDS



ITEM	SIZE	QTY
ALF2801	-	10x110
ALF1279	-	10x160
ALF2073	-	12x110
ALF1280	2.5MM	12x160
ALF1261	20MM	14x160
ALF2074	22MM	14x210
ALF1282	18MM	14x260
ALF1263	25MM	16x210
ALF1284	2MM	16x310
ALF2075	3MM	18x210
ALF1285	3.5MM	18x260
ALF1286	4MM	18x310
ALF1287	4.5MM	20x310
ALF2076	5MM	20x350
ALF1288	5.5MM	22x350
ALF1290	6MM	25x350
ALF1307	7MM	5x110
ALF1308	8MM	5x160
ALF1275	8MM	6x110
ALF1276	8MM	6x160
ALF1277	8MM	7x160
ALF1278	8MM	8x160

## DRILL BIT SET



ITEM	SIZE	QTY
ALF2600	HSSSDS	19PCS
ALF2599	115 TIANLY	5PCS

TIANLY

## DRILL CHUCK



ITEM	SIZE	QTY
ALF1900	KEY LESS 13MM	-
ALF1629	WKEY 13MM	-

## DRILL KEY



ITEM	SIZE	QTY
ALF1896	10MM TIANLY	-
ALF1630	13MM	-
ALF1919	13MM TIANLY	-

## JIGSAW BLADE



ITEM	TYPE	QTY
ALF1240	NO. 01 HSS W/HOLE	-
ALF1239	NO. 03 WOOD W/HOLE	-
ALF1273	T 118A HSS WITHOUT HOLE	-
ALF1238	T 244D HCS	-
ALF1210	T 111C WOOD WITHOUT HOLE	-
ALF1269	115x30T TIANLY	-

## HOLE SAW



ITEM	SIZE	QTY
ALF1921	HSS 102MM	-
ALF2422	HSS 127MM	-
ALF1922	HSS 152MM	-
ALF2417	HSS 18MM	-
ALF2418	HSS 19MM	-
ALF1620	HSS 20MM	-
ALF2419	HSS 22MM	-
ALF1621	HSS 25MM	-
ALF2420	HSS 28MM	-
ALF1622	HSS 32MM	-
ALF1623	HSS 38MM	-
ALF1624	HSS 40MM	-
ALF1625	HSS 48MM	-
ALF1626	HSS 50MM	-
ALF2421	HSS 51MM	-
ALF3354	HSS 63MM	-
ALF3355	HSS 73MM	-
ALF1920	HSS 76MM	-
ALF1224	SET	8PCS
ALF1384	SET HS	9PCS
ALF1915	SS 20MM	-
ALF1916	SS 25MM	-
ALF2555	SS 28MM	-
ALF2070	SS 30MM	-
ALF1917	SS 32MM	-
ALF2556	SS 40MM	-
ALF1913	SS 40MM	-
ALF2557	SS 50MM	-
ALF2071	SS 50MM	-
ALF2558	SS 51MM	-
ALF1914	SS 51MM	-

## NUT SETTER MAGNET SOCKET



ITEM	TYPE	QTY
ALF1252	8MM	-
ALF1253	10MM	-
ALF1254	12MM	-
ALF1255	14MM	-
ALF1256	13MM	-

## WOOD BIT



ITEM	TYPE	QTY
ALF2077	16MM	-
ALF2078	18MM	-
ALF2079	20MM	-
ALF2080	22MM	-
ALF2081	25MM	-
ALF2056	SET	6PCS

## STAR BIT



ITEM	SIZE	QTY
ALF1243	PH 100	-
ALF2425	TIANLY PH2 100+/-	-
ALF2428	TIANLY PH2 100+/-	-
ALF2426	TIANLY PH2 150+/-	-
ALF2429	TIANLY PH2 150+/-	-
ALF2423	TIANLY PH2 25+/-	-
ALF2424	TIANLY PH2 50+/-	-
ALF3627	TIANLY PH2 50+/-	-
ALF3620	TIANLY PH2 65+/-	-
ALF3621	TIANLY PH2 65+/-	-

## STEEL CUTTING DISC



ITEM	SIZE	QTY
ALF2381	CUTTING DISC STEEL	-
ALF1202	CUTTING DISC STEEL	-

## WOOD CUTTING DISC



ITEM	SIZE	QTY
ALF1268	105	-
ALF1270	180x40T TIANLY	-
ALF3622	180x60T TIANLY	-
ALF1272	230x80T TIANLY	-
ALF1269	115x30T TIANLY	-

## WOOD CHISEL



ITEM	SIZE	QTY
ALF1232	TIANLY 12MM	-
ALF1233	TIANLY 16MM	-
ALF1234	TIANLY 20MM	-
ALF1235	TIANLY 25MM	-
ALF1236	TIANLY 32MM	-
ALF1237	TIANLY 38MM	-
ALF1923	18MM	-
ALF1924	TIANLY 50MM	-

TIANLY

## WASHING MACHIENE INLET



ITEM	SIZE	QTY
ALF2653	1.5 MTR -LOCK WH	-
ALF1495	1.5 MTR GREY	-

## ANGLE VALVE



ITEM	SIZE	QTY
ALF3000	BLUE LIVER HT	-
ALF3002	BRASS HALF TURN CLASSIC-176	-
ALF3972	BOSNI B203	-
ALF3467	BRASS DOUBLE SIDE CLASSIC-188	-

## CONNECTION HOSE



ITEM	SIZE	QTY
ALF2668	1/2X1/2X 30 WHITE	-
ALF2742	1/2X1/2X60CM	-
ALF2484	3/8X1/2X60CM	-

## FILTER CATRIDGE



ITEM	SIZE	QTY
ALF1498	COTTON 1x100	-

## FILTER CATRIDGE



ITEM	SIZE	QTY
ALF1499	CTO 1x25	-

## FILTER CATRIDGE



ITEM	SIZE	QTY
ALF1497	FOAM 1X50	-

## FLEXIBLE HOSE



ITEM	SIZE	QTY
ALF3810	-	-

## FLOAT SWITCH



ITEM	SIZE	QTY
ALF1522	KM 2 MTR	-
ALF2686	KM 2 MTR -NEW	-
ALF2687	KM 3 MTR-NEW	-

## HOSE COCK



ITEM	SIZE	QTY
ALF2119	3/4 MAAT	-
ALF2647	(BIBCOCK)	-
ALF1619	LOCK TYPE(MARK)	-

## KITCHEN SINK CUPLER



ITEM	SIZE	QTY
ALF3070	-	-

## MAGIC HOSE



ITEM	SIZE	QTY
ALF2475	1 1/2" 80CM ITALY	-
ALF3125	1 1/4 MAAT TURKEY	-
ALF2476	1 1/4" 80CM CHROME ITALY	-
ALF3981	MICALPINE UK 1 1/2"X100	-

## MIXER SPOT



ITEM	TYPE	QTY
ALF1393	FLEXIBLE	-
ALF1179	-	-
ALF3905	SHORT BEND	-

## MIXER SPOT



ITEM	SIZE	QTY
ALF2674	FEMALE	-
ALF2673	MALE	-

## POP UP



ITEM	TYPE	QTY
ALF2492	BOSNI ITALY D-82 L	-
ALF2491	BOSNI ITALY D-83 S	-
ALF2004	WASTE LONG 1.1/2	-
ALF2649	1 1/2"	-
ALF2648	1 1/4"	-

## NIPPLE



ITEM	SIZE	QTY
ALF3753	MALE CP 1/2X1/2 MAAT HD	-
ALF3754	SOCKET CP MAAT HD 1/2X20	-
ALF3930	SOCKET CP MAAT HD 1/2X25	-

## PVC COOLER TAP



ITEM	SIZE	QTY
ALF3434	(DISPENCER) MALE	-

## PRESSURE CONTROL



ITEM	SIZE	QTY
ALF2366	BT	-

## RUBBER WASHER



ITEM	SIZE	QTY
ALF3071	1 1/2" GREY & GREEN	-
ALF2690	1 1/4" GREY & GREEN	-

## RUBBER WASHER



ITEM	SIZE	QTY
ALF1873	3/4" 1X1000	-
ALF2698	3/4" BLACK	-

## RUBBER WASHER



ITEM	SIZE	QTY
ALF3003	NEW 1/2" WHITE	-
ALF3004	3/4" WHITE	-

## SHATTAF SET



ITEM	SIZE	QTY
ALF3812	PVC MAAT MT-1-3579	-

## SHATTAF SET



ITEM	SIZE	QTY
ALF1800	SHATTAF HANDLE JUMBO CHROME	-

## SHOWER HOSE



ITEM	SIZE	QTY
ALF3974	150 CM BOSINI	-
ALF3815	180CM DELTA	-

## SHOWER



ITEM	SIZE	QTY
ALF3076	KH-2113 FULL SET (8210)	-

PLUMBING

## SHOWER



ITEM	SIZE	QTY
ALF3112	ROSE BOSINI ITALY HD-01(SQUARE)	-

## SHOWER



ITEM	SIZE	QTY
ALF3114	ROSE BOSINI HD-04(ROUND)	-

## SHOWER



ITEM	SIZE	QTY
ALF3079	TP-MJH 1972 FULL SET (8225)	-

## SOAP DISPENSER



ITEM	SIZE	QTY
ALF3962	LOUDASI BLACK D-209	-
ALF3960	LOUDASI CH D-209	-

## THREAD SEAL TAPE



ITEM	SIZE	QTY
ALF2194	12MMX12MX0.1 MAAT UK	-

## SHATTAF HANDLE



ITEM	SIZE	QTY
ALF1800	JUMBO CHROME	-
ALF2388	JUMBO WHITE	-
ALF2954	WHITE SPAIN	-

## WC FLUSH TANK TITA



ITEM	SIZE	QTY
ALF3353	L/L	-
ALF3354	H/L	-

## WC WAX PLASTER GASKET RING



ITEM	SIZE	QTY
ALF1606	-	-

## TRAP COVER



ITEM	SIZE	QTY
ALF2997	SS 15X15 OPEN ANTI-FOUL-180	-

## TRAP COVER




ITEM	SIZE	QTY
ALF2999	SS 15X15 POP UP ANTI FOUL	-

## TRAP COVER



ITEM	SIZE	QTY
ALF3469	SS LONG 10 X 60 X 2" CLASSIC -186	-
ALF3468	SS LONG 10 X 30 X 2" CLASSIC -186	-
ALF3470	SS LONG 10 X 90 X 2" CLASSIC -186	-

## TRAP COVER



ITEM	SIZE	QTY
ALF3817	SS LONG 10 X 60 X 2 CLASSIC NEW	-
ALF3816	SS LONG 10 X 30 X 2 CLASSIC NEW	-
ALF3818	SS LONG 10 X 90 X 2 CLASSIC NEW	-

PLUMBING

## TRAP COVER



ITEM	SIZE	QTY
ALF3073	117,6X6 CLOSE	-

## TRAP COVER



ITEM	SIZE	QTY
ALF2440	15X15 PVC MAAT OPEN GRILL	-

## SCREW KIT



ITEM	SIZE	QTY
ALF1749	W/B MAAT	-
ALF1748	W/C MAAT	-
ALF1750	W/H MAAT	-

## WC SEAT COVER



ITEM	SIZE	QTY
ALF3097	MAAT TURKEY	-
ALF3098	TITA	-

PLUMBING

## JOINT TAPE



ITEM	SIZE	QTY
ALF2146	JOINT TAPE 50MM X 90 MTR (SUPER FIX)	1X36

## BLACK TAPE



ITEM	SIZE	QTY
ALF2267	SUPERFIX HD	1X60



## GARDEN RECK



ITEM	SIZE	QTY
ALF2945	BLUE 18 TEETH BIG SJ-8008	-

## GARDEN SCISSOR



ITEM	SIZE	QTY
ALF2049	12" SHORT HADL DOTTED	-

## GARDEN RECK



ITEM	SIZE	QTY
ALF2291	PVC 22 T WITH HANDLE	-

## GARDEN TOOLS



ITEM	SIZE	QTY
ALF2946	3 PCS SET WOOD HANDLE SJ-5003	-

## GARDEN SPRINKLERS



ITEM	SIZE	QTY
ALF2694	KNOB SET OUN-12	-
ALF2549	KNOB SET OUN-14	-
ALF2550	KNOB SET OUN-15	-
ALF2551	KNOB SET OUN-16	-

## GARDEN TOOLS



ITEM	SIZE	QTY
ALF2520	MINI 3 TEETH	-

## GARDEN TOOLS



ITEM	SIZE	QTY
ALF2519	MINI 5 TEETH	-

## GARDEN WATER GUN



ITEM	SIZE	QTY
ALF2548	(GREEN) OUN-13	-
ALF2273	(RED)	-
ALF2547	FULL SET (GREEN )OUN-12	-
ALF2274	FULL SET (RED)	-

## GARDEN TOOLS



ITEM	SIZE	QTY
ALF3764	ORANGE 3 TEETH 6019-D	-

## GARDEN TOOLS



ITEM	SIZE	QTY
ALF2934	SJ 6019-A HOE+FORK ORANGE	-

## GARDEN TOOLS



ITEM	SIZE	QTY
ALF2937	SJ 6021-A EXT:HOE+FORK ORANGE	-

## GARDEN TOOLS



ITEM	SIZE	QTY
ALF2938	SJ 6021-E3 EXT: RECK 5 TEETH ORANGE	-

## GARDEN TOOLS



ITEM	SIZE	QTY
ALF2958	SJ 6011-C GREEN/H FORK	-

## GARDEN TOOLS



ITEM	SIZE	QTY
ALF2941	SJ 6011-E GREEN/H SHOVEL	-

## GARDEN TOOLS



ITEM	SIZE	QTY
ALF2935	GARDEN TOOLS SJ 6019-B RECK 5 TEETH ORANGE	-

## GARDEN TOOLS



ITEM	SIZE	QTY
ALF2933	SJ 6020-B BLUE PUNCHA	-

PLUMBING

## GARDEN SCISSOR



ITEM	SIZE	QTY
ALF2269	AH-014 NEW	-

## GARDEN SCISSOR



ITEM	SIZE	QTY
ALF2061	LOPPER	-

## GARDEN TOOLS



ITEM	SIZE	QTY
ALF2936	SJ 6019-F SHOVEL ORANGE	-

## GARDEN TOOLS



ITEM	SIZE	QTY
ALF2932	SJ 6020-A BLUE HOE+FORK	-

## GARDEN TOOLS



ITEM	SIZE	QTY
ALF2931	SJ 6020-B BLUE RECK 5 TEETH	-

## GARDEN SCISSOR



ITEM	SIZE	QTY
ALF3939	LOPPER SN COLER	-

## GARDEN HOSE



ITEM	SIZE	QTY
ALF3633	1" X 25 MTR 3-LAYER TURKY	-
ALF3634	1" X 50 MTR 3-LAYER TURKY	-
ALF3629	1/2" X 25 MTR 3-LAYER TURKY	-
ALF3630	1/2" X 50 MTR 3-LAYER TURKY	-
ALF3631	3/4" X 25 MTR 3-LAYER TURKY	-
ALF3632	3/4" X 50 MTR 3-LAYER TURKY	-

## GARDEN HOSE ZEBRA



ITEM	SIZE	QTY
ALF1695	1/2" X 15 MTR TURKY	-
ALF1698	1/2" X 30 MTR TURKY	-
ALF1700	1/2" X 50 MTR TURKY	-
ALF2316	1" X 25 MTR TURKY	-
ALF2315	1" X 50 MTR TURKY	-
ALF1696	1/2" X 20 MTR TURKY	-
ALF1697	1/2" X 25 MTR TURKY	-
ALF1699	1/2" X 40 MTR TUR	-
ALF1701	3/4" X 25 MTR TURKY	-
ALF1702	3/4" X 50 MTR TURKY	-

## GARDEN TOOLS



ITEM	SIZE	QTY
ALF2939	SJ 6021-F EXT: SHOVEL ORANGE	-

## GARDEN RECK




ITEM	SIZE	QTY
ALF1613	24 TEETH WITHOUT HANDL (HD)	-

## GARDEN RECK



ITEM	SIZE	QTY
ALF3685	28 TEETH WITH IRON HNDL (HD)	-

## GARDEN RECK



ITEM	SIZE	QTY
ALF1473	PVC 20 TEETH WITH HANDL YELLOW	-

## GARDEN RECK



ITEM	SIZE	QTY
ALF1904	PLASTIC 26 TEETH WITH CH HANDLE	-

## GARDEN RECK



ITEM	SIZE	QTY
ALF2207	WITH HANDLE YELLOW 16TEETH HD 9002	-
ALF2206	WITH HANDLE 14 TWISTED-9003 BLUE	-

## GARDEN RECK



ITEM	SIZE	QTY
ALF3768	ADJUSTABLE WITH GI STICK	-

## GARDEN RECK



ITEM	SIZE	QTY
ALF2959	ADJUSTABLE W/STICK SJ-8034	-

## GARDEN RECK



ITEM	SIZE	QTY
ALF1314	ADJUSTABLE.WITHOUT STICK	-

## GARDEN RECK



ITEM	SIZE	QTY
ALF1981	STRAIGHT IND 14 TEETH UNIQUE	-
ALF3693	TWISTED IND 14 TEETH UNIQUE	-

GARDEN ITEMS

## GREEN PUNCHA



ITEM	SIZE	QTY
ALF2208	SJ-8029	-
ALF2944	420GRMS SJ-8030	-

## SPRAYER



ITEM	SIZE	QTY
ALF3992	2 LTR C 131	-





## ELITE SET

---

8002 - WASH BASIN  
9002 - PEDESTAL



## SERENA SET

---

8006 - WASH BASIN  
9006 - PEDESTAL



## SPYKAR SET

---

8010 - WASH BASIN  
9007 - PEDESTAL



## SION SET

---

8008 - WASH BASIN  
9007 - PEDESTAL



## SPYKAR HALF SET

---

8010 - WASH BASIN  
9016 - PEDESTAL



## POLO SET

---

ONE PIECE WALL HUNG BASIN



## CORNER SET

---



## NOVA SET

---





# EWWC

PREMIUM SANITARY ITEMS





# **ALIF TRADING W.L.L**

**WHOLESALE IN BUILDING MATERIALS, ELECTRICALS,  
HARDWARE, PLUMBING & TOOLS**

WE ARE EXCLUSIVE DEALER IN QATAR & BAHRAIN

**DINGQI**®

**PO Box no - 63324 , DOHA, QATAR | Mobile : 6695 9978 , 7138 7177**

**Email : [info@alifqatar.com](mailto:info@alifqatar.com) | [www.alifqatar.com](http://www.alifqatar.com)**

---